Informal document No. **GRB-53-20** (53rd GRB, 15 to 17 February 2011 agenda item 3(b))

ECE R 51.02 Method B Data Analysis of the Monitoring Phase of ECE/EU 2007-2010

53rd GRB Working Party on Noise February 2011



INTERNATIONAL ORGANIZATION OF MOTOR VEHICLE MANUFACTURERS

Correlation Between the Method A and Method B



The correlation between method A and method B is very weak. As a trend the test results according to method B are in most cases somewhat lower. Analysis strategies which are based on average data - like TNO (1) and TNO (2) cannot be applied because they do not cover the dispersion of the data.

Vehicle Subcategories within M1 / N1 and their Introduction Dates

Date	Subcategory
------	-------------

- **1985** Direct Injected Diesel Engine
- **1985** Off Road Provisions
- **1985** High Performance Vehicles Testing
- **1995** High Performance Vehicles Limit +1 dB
- **1985** Split of N1 Category

These definitions for subcategories reflect the state-of-the-art at that time. After more than 25 years it is necessary to review these class definitions. The data analysis for consideration of limit values must then be based on the reviewed definitions to verify whether a differentiation is justified

Overview of All M1 Data - Method B Results



Figure B 9 : Lurban versus power to mass ratio for M1 on road vehicles

Overview of All M1 Data - Method B Results



Figure B 9: Lurban versus power to mass ratio for M1 on road vehicles



Overview of All M1 Data - Method B Results



Figure B 10 : Cumulative frequency distributions and average Lurban values for the three proposed on road M1 vehicle classes



Overview of All N1 Data - Method B Results



Figure B 12 : Method B results (Lurban) for N1/M2-A vehicles versus test mass

Split between N1 "from M1" and "Real N1"





N1 Offroad Vehicles



"Pseudo-Equivalent" Limit Values - Comparison TNO vs ACEA Study

TNO OPTION 3		M1	M1 G				N1	N1 G			
	Value [dB(A)]	Criteria PMR	Value [dB(A)]	Criteria		Value [dB(A)]	Criteria GVM	Value [dB(A)]	Criteria GVM		
	72	≤ 150 kW/t	72	Definitions as today in R.E.3		73	\leq 2000 kg	74	\leq 2000 kg		
	73	> 150 kW/t	13			74	> 2000 kg	74	> 2000 kg		
		M1	M1 G			N1			N1 G		
OICA Position for "Pseudo- Equivalent" Values	Value [dB(A)]	Criteria PMR	Value [dB(A)]	Criteria		Value [dB(A)]	Criteria GVM	Value [dB(A)]	Criteria GVM		
	72	≤125 kW/t		incl. Hill Climbing & Wading Depth & Offroad R.E.3		72	≤ 2500 kg	74	≤ 2500 kg		
	73	125 150 kW/t	74			74	> 2500 kg	75	> 2500 kg		
	75	> 150 kW/t									

"Pseudo-Equivalent" means that an introduction of the new test method with these values as new limits will nor improve nor degrade the <u>current</u> environmental situation. However these values mean a limit enforcement for approximately 10% of new vehicle types.

TNO Assessment of Influence of ECE R117 - Tyre Rolling Sound

- "Stricter limit values for tyre rolling noise will be in force for new types of tyres and from <u>1 November 2013</u> for new types of vehicles".
- "These new requirements will result in an (estimated) average <u>reduction of</u> <u>3,8 dB(A) of the limit values for car tyres</u> and of approximately 3,3 dB(A) for the limit values for truck tyres".
- "From 1 November 2016 the stricter limit values will apply to all new vehicles and all new tyres (see also Appendix E). The spread of noise emission values in most tyre classes is approximately 5 to 6 dB(A) below the current limit values. The current average of the noise emission is in most cases approximately equal to or slightly higher than the future limit values".
- "This means that the introduction of the stricter limit values will result in the cut-off of the upper half or more of the tyre populations".
- "Assuming that in the long run, new tyre types with lower noise emission will be developed, a spread of approximately 5 dB below the future limit value will emerge. The average noise emission of tyres may then be 3,3 to 3,8 dB(A) lower than the current values".





TNO Assessment of Influence of ECE R117

Current Applicable Tyre Limits			Applic	cable Limits						
Existing Tyre Class (2001/43/EC)	Nominal section width (mm)	Limit values in dB(A)	Limit values applicable from	Future Tyre Class (661/2009/EC)	Nominal section width (mm)	Limit values in dB(A)	Limit values applicable from	Market Share (ETRTO) [%]	Limit Reductions in dB(A)	Contrib
C1a	≤ 145	72	June 2007	C1a	≤185	70	Nov. 2013	3,3	-2	-0,1
C1b	>145 ≤165	73	June 2007	C1a	≤185	70	Nov. 2013	16,6	-3	-0,5
C1c	>165 ≤185	74	June 2007	C1a	≤185	70	Nov. 2013	29,3	-4	-1,2
C1d	>185 ≤215	75	June 2008	C1b	>185 ≤215	71	Nov. 2013	41,3	-4	-1,7
C1e	>215	76	June 2009	C1c	>215 ≤245	71	Nov. 2013	8,0	-5	-0,4
C1e	>215	76	June 2009	C1d	>245 ≤275	72	Nov. 2013	1,3	-4	-0,1
C1e	>215	76	June 2009	C1e	>275	74	Nov. 2013	0,2	-2	0,0

TNO Estimation Avg Reduction -3,8

The TNO estimation for an average limit reduction neglects the circumstance that the limit reduction for some tyres is only 2 dB.

It is better to assess the tyre distribution curve as a difference between the tyre rolling sound value and the applicable limit value for a tyre from 2013 on.

TNO Assessment of Influence of ECE R117



TNO Assessment of Influence of ECE R117 - from 2013/2016 on



Impact of ECE R117 on Vehicle Type Approval according to Method B of ECE R51

TNO Caluculation Scheme from Appendix E - To Assess the Impact of 661/2009/EC from 11/2013 on

	Actual Status							Prediction 2010						
	L_urb [dB]	L_wot [dB]	L_crs [dB]	L_roll_crs [dB]	L_pt_crs [dB]	L_pt_wot [dB]	kp	L_roll_crs [dB]	L_crs [dB]	Delta [dB]	L_wot [dB]	Delta [dB]	L_urb [dB]	Delta [dB]
				Tyre I	Regulation E	Effect Estima	ited by TNO	-3,8 dB Effect on V					fect on Vehic	
M1	70,0	70,8	68,1	66,6	62,6	68,3	0,29	62,8	65,7	-2,4	69,4	-1,4	68,3	-1,7
From Nove	rom November 2013 on: Confirmed impact on tyre population						-0,8	dB Effect on Ve					fect on Vehic	
M1	70,0	70,8	68,1	66,6	62,8	68,7	0,29	65,8	67,5	-0,6	70,5	-0,3	69,7	-0,4
From Nove	vember 2013 on: Confirmed impact on tyre population					-0,8	dB				Eff	ect on Vehic		
M1	72,0	73,3	69	66,6	65,3	72,3	0,3	65,8	68,6	-0,4	73,1	-0,2	71,8	-0,2
From Nove	November 2013 on: Confirmed impact on tyre population					-0,2	dB				Efi	fect on Vehic		
M1	74,9	76,3	69,5	69,0	59,9	75,4	0,2	68,8	69,3	-0,2	76,3	0,0	74,9	-0,1

The impact of the tyre regulation ECE R117 with more stringent limit values from Nov. 2013 on has a little impact for normal cars and can be neglected for high performance cars.

Torque Influence in the Acceleration Range 1.0 m/s²...2.2 m/s²

Ranking Momenteneinfluss



aritmthischer Pegelmittelwert zwischen min. und max. Beschleunigung (1,0 und 2,2 m/s²; ohne Korrektur)



Torque Effect - Sound Level Increase as Function of Acceleration



SOURCE: FAT-Research Program on Test Tracks and Tyres from 2009/2010

Additional Development Criteria - Slopes of tyres under free rolling



Test Speed (80 km/h for 661/2009/EC and 50 km/h for ECE R51.03)

Development Cycles for Vehicles (typically M1/N1)



Total development phase is seven years

If future requirements are known latest five years before serial production they can be included in the concept phase. The requirements can be reached in a cost efficient way.

Compatibility of Regulations and Development Cycles





Conclusions

- The definition of "Pseudo-Equivalent" sound levels is based on the
 - combination of revised vehicles sub-classes adapted to the technical progress.
 - analysis of the monitoring data for the revised sub-categories using a 10% cut.
 - The proposed values are:

		M1		M1 G			N1	N1 G		
OICA Position	Value [dB(A)]	Criteria PMR	Value [dB(A)]	Criteria		Value [dB(A)] Criteria GVM		Value [dB(A)] Criteria GVM		
for "Pseudo- Equivalent" Values	72	≤125 kW/t	74	incl. Hill Climbing & Wading Depth & Offroad R.E.3		72	≤ 2500 kg	74	≤ 2500 kg	
	73	125 150 kW/t				74	> 2500 kg	75	> 2500 kg	
	75	> 150 kW/t								

- The impact of new limit values for tyre rolling sound after 2013 can be disregarded, because the effect is very little for normal cars and can be neglected for the other M1/N1 sub-classes.
- The proposal to increase the acceleration border from 2 m/s² to 3 m/s² is opposed by OICA for its extreme adverse impact specially for the tyre development and because it is a very unrealistic test condition, not in line with the scope of the new test method.
- A lead time of at least 5 year for stricter requirements are necessary for the development work. Stricter requirements must recognize the technical feasibility per time and acknowledge the potential impact of emission and safety regulations.