

eTIR-messages

entities and attributes

Table of contents

| | | |
|------|--|----|
| 1 | E-messages | 3 |
| 1.1 | E1-RegisterGuarantee | 3 |
| 1.2 | E2-RegisterResults | 5 |
| 1.3 | E3-CancelGuarantee | 6 |
| 1.4 | E4-CancellationResults | 7 |
| 1.5 | E5-QueryGuarantee..... | 8 |
| 1.6 | E6-QueryResults | 9 |
| 1.7 | E7-NotifyGuaranteeChain | 14 |
| 1.8 | E8-NotificationConfirmation | 15 |
| 1.9 | E9-AdvancedCargoInformation | 16 |
| 1.10 | E10-AdvancedCargoInformationResults | 19 |
| 2 | I-messages | 20 |
| 2.1 | I1-Accept guarantee | 20 |
| 2.2 | I2-AcceptanceResults | 21 |
| 2.3 | I3-GetHolderInformation..... | 22 |
| 2.4 | I4-HolderInformation | 23 |
| 2.5 | I5-QueryGuarantee..... | 24 |
| 2.6 | I6-QueryResults | 25 |
| 2.7 | I7-RecordAdvancedCargoInformation..... | 30 |
| 2.8 | I8-RecordAdvancedCargoInformationResults | 33 |
| 2.9 | I9-StartTIROperation | 34 |
| 2.10 | I10-StartResults | 35 |
| 2.11 | I11-TerminateTIROperation | 36 |
| 2.12 | I12-TerminationResults | 37 |
| 2.13 | I13-DischargeTIROperation | 38 |
| 2.14 | I14-DischargeResults | 39 |
| 2.15 | I15-NotifyCustoms..... | 40 |
| 2.16 | I16-NotificationConfirmation | 43 |

1 E-messages

1.1 E1-RegisterGuarantee

| | |
|-----------------------------------|--------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| GUARANTEE | Occurrence 1 .. 1 |
| — <i>Validity</i> | |
| — <i>Issuing date</i> | |

| | |
|-----------------------|--------------------------|
| Reference | |
| Guarantee type | |
| GUARANTEECHAIN | Occurrence 1 .. 1 |
| Code | |
| HOLDER | Occurrence 1 .. 1 |
| Code | |

1.2 E2-RegisterResults

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional Reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| — POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |

1.3 E3-CancelGuarantee

| | |
|-----------------------------------|-------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — GUARANTEE | Occurrence 1 .. 1 |
| — <i>Cancellation date</i> | |
| — <i>Reference</i> | |
| — <i>Guarantee type</i> | |
| — GUARANTEECHAIN | Occurrence 1 .. 1 |
| — <i>Code</i> | |
| — HOLDER | Occurrence 1 .. 1 |
| — <i>Code</i> | |

1.4 E4-CancellationResults

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional Reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| — POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |

1.5 E5-QueryGuarantee

| | |
|-----------------------------------|--------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Sub type, coded</i> | |
| — <i>Type, coded</i> | |
| — GUARANTEE | Occurrence 1 .. 1 |
| — <i>Reference</i> | |

1.6 E6-QueryResults

| | |
|----------------------------------|---------------------------|
| MESSAGE | |
| —Message function, coded | |
| —Functional Reference | |
| —Message reference number | |
| —Type, coded | |
| ERROR | Occurrence 0 .. unbounded |
| —Error, coded | |
| POINTER | Occurrence 1 .. unbounded |
| —Sequence number | |
| —Document/message section, coded | |
| —Tag identifier | |
| LPCO | Occurrence 1 .. 1 |
| GUARANTEE | Occurrence 1 .. 1 |
| —Validity | |
| —Guarantee status | |
| —Reference | |
| —Guarantee type | |
| ADVANCEDCARGOINFORMATION | Occurrence 0 .. unbounded |
| —Reference | |
| —Date | |
| —Type, coded | |
| —Total gross weight | |
| ADDITIONALINFORMATION | Occurrence 1 .. 1 |
| —Remarks | |
| —Heavy and bulky goods indicator | |
| AGENT | Occurrence 0 .. unbounded |
| —Code | |
| —Role, coded | |
| AMENDMENT | Occurrence 0 .. unbounded |
| —Amendment code | |
| POINTER | Occurrence 1 .. unbounded |
| —Sequence number | |
| —Document/message section, coded | |
| —Tag identifier | |
| SUBCONTRACTOR | Occurrence 0 .. 1 |
| —Name | |
| —Code | |
| ADDRESS | Occurrence 0 .. unbounded |
| —City name | |
| —Country, coded | |
| —Street and number/P.O. Box | |
| —Postcode identification | |
| CONSIGNMENT | Occurrence 1 .. unbounded |
| —Sequence number | |
| ATTACHEDDOCUMENTS | Occurrence 0 .. unbounded |
| —Number | |
| —Issuing date | |
| —Type, coded | |
| BINARYFILE | Occurrence 0 .. 1 |
| —Identification | |

| | | |
|---|------------------------------|---------------------------|
| — | Title | |
| — | Author name | |
| — | Version | |
| — | File name | |
| — | URI | |
| — | MIME | |
| — | Encoding | |
| — | Character set | |
| — | Include binary object | |
| — | Access | |
| — | Description | |
| — | Size | |
| — | Type | |
| — | Hash code | |
| — | Hash code algorithm id | |
| — | CONSIGNMENTITEM | Occurrence 1 .. unbounded |
| — | Sequence number | |
| — | ADDITIONALINFORMATION | Occurrence 0 .. unbounded |
| — | Remarks | |
| — | GOODS | Occurrence 1 .. 1 |
| — | Description | |
| — | CLASSIFICATION | Occurrence 0 .. unbounded |
| — | Code | |
| — | Type | |
| — | CONSIGNEE | Occurrence 0 .. 1 |
| — | Name | |
| — | Code | |
| — | ADDRESS | Occurrence 0 .. unbounded |
| — | City name | |
| — | Country, coded | |
| — | Street and number/P.O. Box | |
| — | Postcode identification | |
| — | CONSIGNOR | Occurrence 0 .. 1 |
| — | Name | |
| — | Code | |
| — | ADDRESS | Occurrence 0 .. unbounded |
| — | City name | |
| — | Country, coded | |
| — | Street and number/P.O. Box | |
| — | Postcode identification | |
| — | DELIVERYDESTINATION | Occurrence 0 .. 1 |
| — | Name | |
| — | ADDRESS | Occurrence 1 .. 1 |
| — | City name | |
| — | Country, coded | |
| — | Street and number/P.O. Box | |
| — | Postcode identification | |
| — | GOODSMEASURE | Occurrence 1 .. 1 |
| — | Gross weight | |
| — | PACKAGING | Occurrence 1 .. 1 |
| — | Marks and numbers | |
| — | Number of packages | |
| — | Type, coded | |

| | |
|-----------------------------------|---------------------------|
| TRANSPORTEQUIPMENT | Occurrence 0 .. 1 |
| Identification | |
| UCR | Occurrence 0 .. unbounded |
| Identifier | |
| LOADINGLOCATION | Occurrence 0 .. 1 |
| Name | |
| NOTIFYPARTY | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| CUSTOMSOFFICEOFDEPARTURE | Occurrence 1 .. 1 |
| Code | |
| CUSTOMSOFFICEOFDESTINATION | Occurrence 1 .. 1 |
| Code | |
| TRANSPORTMEANS | Occurrence 1 .. unbounded |
| Identification | |
| Type, coded | |
| Nationality | |
| Conveyance reference number | |
| COUNTRYOFROUTING | Occurrence 1 .. unbounded |
| Sequence number | |
| Country, coded | |
| CERTIFICATEOFAPPROVAL | Occurrence 0 .. 1 |
| Number | |
| Date | |
| Type, coded | |
| BINARYFILE | Occurrence 0 .. 1 |
| Identification | |
| Title | |
| Author name | |
| Version | |
| File name | |
| URI | |
| MIME | |
| Encoding | |
| Character set | |
| Include binary object | |
| Access | |
| Description | |
| Size | |
| Type | |
| Hash code | |
| Hash code algorithm id | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. unbounded |
| Sequence number | |
| Size and type identification | |
| Identification | |
| SEAL | Occurrence 0 .. unbounded |
| Sequence number | |

| | |
|---------------------------------------|---------------------------|
| Seal number | |
| Seal type code | |
| GUARANTEE | Occurrence 1 .. 1 |
| Validity | |
| Reference | |
| Guarantee type, coded | |
| HOLDER | Occurrence 1 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| GUARANTEECHAIN | Occurrence 1 .. 1 |
| Code | |
| TIROPERATION | Occurrence 0 .. unbounded |
| Sequence number | |
| Registration number | |
| OPERATIONSTART | Occurrence 0 .. 1 |
| Date | |
| Time limit | |
| ADDITIONALINFORMATION | Occurrence 0 .. unbounded |
| Remarks | |
| CONSIGNMENT | Occurrence 0 .. unbounded |
| Sequence number | |
| TRANSPORTEQUIPMENT | Occurrence 1 .. unbounded |
| Identification | |
| SEAL | Occurrence 1 .. unbounded |
| Sequence number | |
| Seal number | |
| Seal type code | |
| CONTROL | Occurrence 1 .. unbounded |
| Control type, coded | |
| CONTROLRESULT | Occurrence 1 .. 1 |
| Code | |
| NATIONALITINERARY | Occurrence 0 .. unbounded |
| NATIONALITINERARYCUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| CUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| TERMINATION | Occurrence 0 .. 1 |
| Date | |
| Number of packages | |
| ADDITIONALINFORMATION | Occurrence 0 .. unbounded |
| Reservations | |
| CONSIGNMENT | Occurrence 0 .. unbounded |
| Sequence number | |
| TRANSPORTEQUIPMENT | Occurrence 1 .. unbounded |
| Identification | |
| SEAL | Occurrence 1 .. unbounded |
| Sequence number | |

| | |
|---------------------------------|---------------------------|
| Seal number | |
| Seal type code | |
| CONTROL | Occurrence 1 .. unbounded |
| Control type, coded | |
| CONTROLRESULT | Occurrence 1 .. 1 |
| Code | |
| CUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| DISCHARGE | Occurrence 0 .. unbounded |
| Date | |
| CUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| HOLDER | Occurrence 1 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 1 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| AUTHORIZATIONCERTIFICATE | Occurrence 1 .. 1 |
| Current status | |
| ACTIVewithDRAWAL | Occurrence 0 .. 1 |
| Start | |
| End | |
| ACTIVEEXCLUSION | Occurrence 0 .. unbounded |
| Start | |
| End | |
| Country, coded | |

1.7 E7-NotifyGuaranteeChain

| | |
|-----------------------------------|--------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Sub type, coded</i> | |
| — <i>Type, coded</i> | |
| — GUARANTEE | Occurrence 1 .. 1 |
| — <i>Reference</i> | |

1.8 E8-NotificationConfirmation

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional Reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| — POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |

1.9 E9-AdvancedCargoInformation

| | |
|----------------------------------|---------------------------|
| MESSAGE | |
| —Message function, coded | |
| —Message reference number | |
| —Date | |
| —Type, coded | |
| —Total gross weight | |
| — ADDITIONALINFORMATION | Occurrence 1 .. 1 |
| —Remarks | |
| —Heavy and bulky goods indicator | |
| — AGENT | Occurrence 0 .. 1 |
| —Code | |
| —Role, coded | |
| — AMENDMENT | Occurrence 0 .. unbounded |
| —Amendment code | |
| — POINTER | Occurrence 1 .. unbounded |
| —Sequence number | |
| —Document/message section, coded | |
| —Tag identifier | |
| — SUBCONTRACTOR | Occurrence 0 .. 1 |
| —Name | |
| —Code | |
| — ADDRESS | Occurrence 0 .. 1 |
| —City name | |
| —Country, coded | |
| —Street and number/P.O. Box | |
| —Postcode identification | |
| — CONSIGNMENT | Occurrence 1 .. unbounded |
| —Sequence number | |
| — ATTACHEDDOCUMENTS | Occurrence 0 .. unbounded |
| —Number | |
| —Issuing date | |
| —Type, coded | |
| — BINARYFILE | Occurrence 0 .. 1 |
| —Identification | |
| —Title | |
| —Author name | |
| —Version | |
| —File name | |
| —URI | |
| —MIME | |
| —Encoding | |
| —Character set | |
| —Include binary object | |
| —Access | |
| —Description | |
| —Size | |
| —Type | |
| —Hash code | |
| —Hash code algorithm id | |
| — CONSIGNMENTITEM | Occurrence 1 .. unbounded |
| —Sequence number | |

| | |
|---------------------------------|---------------------------|
| ADDITIONALINFORMATION | Occurrence 0 .. unbounded |
| Remarks | |
| GOODS | Occurrence 1 .. 1 |
| Description | |
| CLASSIFICATION | Occurrence 0 .. unbounded |
| Code | |
| Type | |
| CONSIGNEE | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| CONSIGNOR | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| DELIVERYDESTINATION | Occurrence 0 .. 1 |
| Name | |
| ADDRESS | Occurrence 1 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| GOODSMEASURE | Occurrence 1 .. 1 |
| Gross weight | |
| PACKAGING | Occurrence 1 .. 1 |
| Marks and numbers | |
| Number of packages | |
| Type, coded | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. 1 |
| Identification | |
| UCR | Occurrence 0 .. 1 |
| Identifier | |
| LOADINGLOCATION | Occurrence 0 .. 1 |
| Name | |
| NOTIFYPARTY | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| CUSTOMSOFFICEOFDEPARTURE | Occurrence 1 .. 1 |
| Code | |

| | |
|-----------------------------------|---------------------------|
| CUSTOMSOFFICEOFDESTINATION | Occurrence 1 .. 1 |
| Code | |
| TRANSPORTMEAN | Occurrence 1 .. unbounded |
| Identification | |
| Type, coded | |
| Nationality | |
| Conveyance reference number | |
| COUNTRYOFROUTING | Occurrence 1 .. unbounded |
| Sequence number | |
| Country, coded | |
| CERTIFICATEOFAPPROVAL | Occurrence 0 .. 1 |
| Number | |
| Date | |
| Type, coded | |
| BINARYFILE | Occurrence 0 .. 1 |
| Identification | |
| Title | |
| Author name | |
| Version | |
| File name | |
| URI | |
| MIME | |
| Encoding | |
| Character set | |
| Include binary object | |
| Access | |
| Description | |
| Size | |
| Type | |
| Hash code | |
| Hash code algorithm id | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. unbounded |
| Sequence number | |
| Size and type identification | |
| Identification | |
| SEAL | Occurrence 0 .. unbounded |
| Sequence number | |
| Seal number | |
| Seal type code | |
| GUARANTEE | Occurrence 1 .. unbounded |
| Reference | |
| HOLDER | Occurrence 1 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |

1.10 E10-AdvancedCargoInformationResults

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional Reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| — POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |
| — ADVANCEDCARGOINFORMATION | Occurrence 1 .. 1 |
| — <i>Acceptance date</i> | |
| — <i>Reference</i> | |
| — <i>Rejection date</i> | |

2 I-messages

2.1 I1-Accept guarantee

| | |
|-----------------------------------|-------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — GUARANTEE | Occurrence 1 .. 1 |
| — <i>Acceptance date</i> | |
| — <i>Reference</i> | |
| — <i>Guarantee type</i> | |
| — GUARANTEECHAIN | Occurrence 1 .. 1 |
| — <i>Code</i> | |
| — HOLDER | Occurrence 1 .. 1 |
| — <i>Code</i> | |

2.2 I2-AcceptanceResults

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| — POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |
| — GUARANTEE | Occurrence 1 .. 1 |
| — <i>Reference</i> | |

2.3 I3-GetHolderInformation

| | |
|-----------------------------------|--------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — HOLDER | Occurrence 1 .. 1 |
| — <i>Code</i> | |

2.4 I4-HolderInformation

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |
| HOLDER | Occurrence 1 .. 1 |
| — <i>Name</i> | |
| — <i>Code</i> | |
| ADDRESS | Occurrence 1 .. 1 |
| — <i>City name</i> | |
| — <i>Country, coded</i> | |
| — <i>Street and number/P.O. Box</i> | |
| — <i>Postcode identification</i> | |
| AUTHORIZATION | Occurrence 1 .. 1 |
| — <i>Current status</i> | |
| ACTIVewithDRAWAL | Occurrence 0 .. 1 |
| — <i>Start</i> | |
| — <i>End</i> | |
| ACTIVEEXCLUSION | Occurrence 0 .. unbounded |
| — <i>Start</i> | |
| — <i>End</i> | |
| — <i>Country, coded</i> | |

2.5 I5-QueryGuarantee

| | |
|-----------------------------------|--------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Sub type, coded</i> | |
| — <i>Type, coded</i> | |
| — GUARANTEE | Occurrence 1 .. 1 |
| — <i>Reference</i> | |

2.6 I6-QueryResults

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |
| GUARANTEE | Occurrence 1 .. 1 |
| — <i>Acceptance date</i> | |
| — <i>Cancellation date</i> | |
| — <i>Validity</i> | |
| — <i>Issuing date</i> | |
| — <i>Guarantee status</i> | |
| — <i>Reference</i> | |
| — <i>Guarantee type</i> | |
| ADVANCEDCARGOINFORMATION | Occurrence 0 .. unbounded |
| — <i>Reference</i> | |
| — <i>Date</i> | |
| — <i>Total gross weight</i> | |
| ADDITIONALINFORMATION | Occurrence 1 .. 1 |
| — <i>Remarks</i> | |
| — <i>Heavy and bulky goods indicator</i> | |
| AGENT | Occurrence 0 .. 1 |
| — <i>Code</i> | |
| — <i>Role, coded</i> | |
| AMENDMENT | Occurrence 0 .. unbounded |
| — <i>Amendment code</i> | |
| POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |
| SUBCONTRACTOR | Occurrence 0 .. 1 |
| — <i>Name</i> | |
| — <i>Code</i> | |
| ADDRESS | Occurrence 0 .. unbounded |
| — <i>City name</i> | |
| — <i>Country, coded</i> | |
| — <i>Street and number/P.O. Box</i> | |
| — <i>Postcode identification</i> | |
| CONSIGNMENT | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| ATTACHEDDOCUMENTS | Occurrence 0 .. unbounded |
| — <i>Number</i> | |
| — <i>Issuing date</i> | |
| — <i>Type, coded</i> | |
| BINARYFILE | Occurrence 0 .. 1 |

| | |
|------------------------------|---------------------------|
| Identification | |
| Title | |
| Author name | |
| Version | |
| File name | |
| URI | |
| MIME | |
| Encoding | |
| Character set | |
| Include binary object | |
| Access | |
| Description | |
| Size | |
| Type | |
| Hash code | |
| Hash code algorithm id | |
| CONSIGNMENTITEM | Occurrence 1 .. unbounded |
| Sequence number | |
| ADDITIONALINFORMATION | Occurrence 0 .. unbounded |
| Remarks | |
| GOODS | Occurrence 1 .. 1 |
| Description | |
| CLASSIFICATION | Occurrence 0 .. unbounded |
| Code | |
| Type | |
| CONSIGNEE | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| CONSIGNOR | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| DELIVERYDESTINATION | Occurrence 1 .. 1 |
| Name | |
| ADDRESS | Occurrence 1 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| GOODSMEASURE | Occurrence 1 .. 1 |
| Gross weight | |
| PACKAGING | Occurrence 1 .. 1 |
| Marks and numbers | |
| Number of packages | |

| | |
|--|---------------------------|
| <ul style="list-style-type: none"> Type, coded | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. 1 |
| <ul style="list-style-type: none"> Identification | |
| UCR | Occurrence 0 .. 1 |
| <ul style="list-style-type: none"> Identifier | |
| LOADINGLOCATION | Occurrence 0 .. 1 |
| <ul style="list-style-type: none"> Name | |
| NOTIFYPARTY | Occurrence 0 .. 1 |
| <ul style="list-style-type: none"> Name | |
| <ul style="list-style-type: none"> Code | |
| ADDRESS | Occurrence 0 .. 1 |
| <ul style="list-style-type: none"> City name | |
| <ul style="list-style-type: none"> Country, coded | |
| <ul style="list-style-type: none"> Street and number/P.O. Box | |
| <ul style="list-style-type: none"> Postcode identification | |
| CUSTOMSOFFICEOFDEPARTURE | Occurrence 1 .. 1 |
| <ul style="list-style-type: none"> Code | |
| CUSTOMSOFFICEOFDESTINATION | Occurrence 1 .. 1 |
| <ul style="list-style-type: none"> Code | |
| TRANSPORTMEAN | Occurrence 1 .. unbounded |
| <ul style="list-style-type: none"> Identification | |
| <ul style="list-style-type: none"> Type, coded | |
| <ul style="list-style-type: none"> Nationality | |
| <ul style="list-style-type: none"> Conveyance reference number | |
| COUNTRYOFRROUTING | Occurrence 1 .. unbounded |
| <ul style="list-style-type: none"> Sequence number | |
| <ul style="list-style-type: none"> Country, coded | |
| CERTIFICATEOFAPPROVAL | Occurrence 0 .. unbounded |
| <ul style="list-style-type: none"> Number | |
| <ul style="list-style-type: none"> Date | |
| <ul style="list-style-type: none"> Type, coded | |
| BINARYFILE | Occurrence 0 .. 1 |
| <ul style="list-style-type: none"> Identification | |
| <ul style="list-style-type: none"> Title | |
| <ul style="list-style-type: none"> Author name | |
| <ul style="list-style-type: none"> Version | |
| <ul style="list-style-type: none"> File name | |
| <ul style="list-style-type: none"> URI | |
| <ul style="list-style-type: none"> MIME | |
| <ul style="list-style-type: none"> Encoding | |
| <ul style="list-style-type: none"> Character set | |
| <ul style="list-style-type: none"> Include binary object | |
| <ul style="list-style-type: none"> Access | |
| <ul style="list-style-type: none"> Description | |
| <ul style="list-style-type: none"> Size | |
| <ul style="list-style-type: none"> Type | |
| <ul style="list-style-type: none"> Hash code | |
| <ul style="list-style-type: none"> Hash code algorithm id | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. unbounded |
| <ul style="list-style-type: none"> Sequence number | |
| <ul style="list-style-type: none"> Size and type identification | |
| <ul style="list-style-type: none"> Identification | |
| SEAL | Occurrence 0 .. unbounded |

| | |
|---------------------------------------|---------------------------|
| Sequence number | |
| Seal number | |
| Seal type code | |
| GUARANTEE | Occurrence 1 .. 1 |
| Validity | |
| Reference | |
| Guarantee type, coded | |
| NATIONALREFERENCE | Occurrence 0 .. unbounded |
| Reference | |
| Country, coded | |
| HOLDER | Occurrence 1 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| GUARANTEECHAIN | Occurrence 1 .. 1 |
| Code | |
| TIROPERATION | Occurrence 0 .. unbounded |
| Sequence number | |
| Registration number | |
| START | Occurrence 0 .. 1 |
| Date | |
| Time limit | |
| ADDITIONALINFORMATION | Occurrence 0 .. 1 |
| Remarks | |
| CONSIGNMENT | Occurrence 0 .. unbounded |
| Sequence number | |
| TRANSPORTEQUIPMENT | Occurrence 1 .. unbounded |
| Identification | |
| SEAL | Occurrence 1 .. unbounded |
| Sequence number | |
| Seal number | |
| Seal type code | |
| CONTROL | Occurrence 1 .. 1 |
| Control type, coded | |
| CONTROLRESULT | Occurrence 1 .. unbounded |
| Code | |
| NATIONALITINERARY | Occurrence 0 .. unbounded |
| NATIONALITINERARYCUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| CUSTOMSOFFICE | Occurrence 1 .. unbounded |
| Customs office, coded | |
| TERMINATION | Occurrence 0 .. 1 |
| Date | |
| Number of packages | |
| ADDITIONALINFORMATION | Occurrence 0 .. 1 |
| Reservations | |
| CONSIGNMENT | Occurrence 0 .. unbounded |
| Sequence number | |

| | |
|----------------------------|---------------------------|
| TRANSPORTEQUIPMENT | Occurrence 1 .. unbounded |
| Identification | |
| SEAL | Occurrence 1 .. unbounded |
| Sequence number | |
| Seal number | |
| Seal type code | |
| CONTROL | Occurrence 1 .. 1 |
| Control type, coded | |
| CONTROLRESULT | Occurrence 1 .. unbounded |
| Code | |
| CUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| DISCHARGE | Occurrence 0 .. 1 |
| Date | |
| CUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| HOLDER | Occurrence 1 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 1 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| AUTHORIZATION | Occurrence 1 .. 1 |
| Current status | |
| ACTIVewithDRAWAL | Occurrence 0 .. 1 |
| Start | |
| End | |
| ACTIVEEXCLUSION | Occurrence 0 .. unbounded |
| Start | |
| End | |
| Country, coded | |

2.7 17-RecordAdvancedCargoInformation

MESSAGE

| | |
|----------------------------------|---------------------------|
| —Message function, coded | |
| —Message reference number | |
| —Type, coded | |
| ADVANCEDCARGOINFORMATION | Occurrence 1 .. 1 |
| —Reference | |
| —Date | |
| —Total gross weight | |
| ADDITIONALINFORMATION | Occurrence 1 .. 1 |
| —Remarks | |
| —Heavy and bulky goods indicator | |
| AGENT | Occurrence 0 .. 1 |
| —Code | |
| —Role, coded | |
| AMENDMENT | Occurrence 0 .. unbounded |
| —Amendment code | |
| POINTER | Occurrence 1 .. unbounded |
| —Sequence number | |
| —Document/message section, coded | |
| —Tag identifier | |
| SUBCONTRACTOR | Occurrence 0 .. unbounded |
| —Name | |
| —Code | |
| ADDRESS | Occurrence 0 .. unbounded |
| —City name | |
| —Country, coded | |
| —Street and number/P.O. Box | |
| —Postcode identification | |
| CONSIGNMENT | Occurrence 1 .. unbounded |
| —Sequence number | |
| ATTACHEDDOCUMENTS | Occurrence 0 .. unbounded |
| —Number | |
| —Issuing date | |
| —Type, coded | |
| BINARYFILE | Occurrence 0 .. 1 |
| —Identification | |
| —Title | |
| —Author name | |
| —Version | |
| —File name | |
| —URI | |
| —MIME | |
| —Encoding | |
| —Character set | |
| —Include binary object | |
| —Access | |
| —Description | |
| —Size | |
| —Type | |
| —Hash code | |
| —Hash code algorithm id | |

| | |
|------------------------------|---------------------------|
| CONSIGNMENTITEM | Occurrence 1 .. unbounded |
| Sequence number | |
| ADDITIONALINFORMATION | Occurrence 0 .. unbounded |
| Remarks | |
| GOODS | Occurrence 1 .. 1 |
| Description | |
| CLASSIFICATION | Occurrence 0 .. unbounded |
| Code | |
| Type | |
| CONSIGNEE | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| CONSIGNOR | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| DELIVERYDESTINATION | Occurrence 0 .. 1 |
| Name | |
| ADDRESS | Occurrence 1 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| GOODSMEASURE | Occurrence 1 .. 1 |
| Gross weight | |
| PACKAGING | Occurrence 1 .. 1 |
| Marks and numbers | |
| Number of packages | |
| Type, coded | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. 1 |
| Identification | |
| UCR | Occurrence 0 .. 1 |
| Identifier | |
| LOADINGLOCATION | Occurrence 0 .. 1 |
| Name | |
| NOTIFYPARTY | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |

| | |
|-----------------------------------|---------------------------|
| CUSTOMSOFFICEOFDEPARTURE | Occurrence 1 .. 1 |
| Code | |
| CUSTOMSOFFICEOFDESTINATION | Occurrence 1 .. 1 |
| Code | |
| TRANSPORTMEAN | Occurrence 1 .. unbounded |
| Identification | |
| Type, coded | |
| Nationality | |
| Conveyance reference number | |
| COUNTRYOFROUTING | Occurrence 1 .. unbounded |
| Sequence number | |
| Country, coded | |
| CERTIFICATEOFAPPROVAL | Occurrence 0 .. 1 |
| Number | |
| Date | |
| Type, coded | |
| BINARYFILE | Occurrence 0 .. 1 |
| Identification | |
| Title | |
| Author name | |
| Version | |
| File name | |
| URI | |
| MIME | |
| Encoding | |
| Character set | |
| Include binary object | |
| Access | |
| Description | |
| Size | |
| Type | |
| Hash code | |
| Hash code algorithm id | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. unbounded |
| Sequence number | |
| Size and type identification | |
| Identification | |
| SEAL | Occurrence 0 .. unbounded |
| Sequence number | |
| Seal number | |
| Seal type code | |
| GUARANTEE | Occurrence 1 .. unbounded |
| Validity | |
| Reference | |
| HOLDER | Occurrence 1 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |

2.8 I8-RecordAdvancedCargoInformationResults

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — ADVANCEDCARGOINFORMATION | Occurrence 1 .. 1 |
| — <i>Reference</i> | |
| — NATIONALREFERENCE | Occurrence 0 .. unbounded |
| — <i>Reference</i> | |
| — <i>Country, coded</i> | |
| — ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| — POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |

2.9 I9-StartTIROperation

MESSAGE

| | |
|---------------------------------------|---------------------------|
| Message function, coded | |
| Message reference number | |
| Type, coded | |
| GUARANTEE | Occurrence 1 .. 1 |
| Validity | |
| Reference | |
| Guarantee type | |
| GUARANTEECHAIN | Occurrence 1 .. 1 |
| Code | |
| TIROPERATION | Occurrence 1 .. 1 |
| Sequence number | |
| Registration number | |
| START | Occurrence 1 .. 1 |
| Date | |
| Time limit | |
| ADDITIONALINFORMATION | Occurrence 0 .. 1 |
| Remarks | |
| CONSIGNMENT | Occurrence 0 .. unbounded |
| Sequence number | |
| TRANSPORTEQUIPMENT | Occurrence 1 .. unbounded |
| Identification | |
| SEAL | Occurrence 1 .. unbounded |
| Sequence number | |
| Seal number | |
| Seal type code | |
| CONTROL | Occurrence 1 .. 1 |
| Control type, coded | |
| CONTROLRESULT | Occurrence 1 .. unbounded |
| Code | |
| NATIONALITINERARY | Occurrence 0 .. 1 |
| NATIONALITINERARYCUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| CUSTOMSOFFICE | Occurrence 1 .. 1 |
| Customs office, coded | |
| HOLDER | Occurrence 1 .. 1 |
| Code | |

2.10 I10-StartResults

| | |
|----------------------------------|---------------------------|
| MESSAGE | |
| —Message function, coded | |
| —Functional reference | |
| —Message reference number | |
| —Type, coded | |
| ERROR | Occurrence 0 .. unbounded |
| —Error, coded | |
| POINTER | Occurrence 1 .. unbounded |
| —Sequence number | |
| —Document/message section, coded | |
| —Tag identifier | |
| GUARANTEE | Occurrence 1 .. 1 |
| —Guarantee status | |
| —Reference | |
| —Guarantee type | |
| GUARANTEECHAIN | Occurrence 1 .. 1 |
| —Code | |
| TIROPERATION | Occurrence 1 .. 1 |
| —Sequence number | |
| —Registration number | |
| START | Occurrence 1 .. 1 |
| —Date | |
| HOLDER | Occurrence 1 .. 1 |
| —Code | |
| AUTHORIZATION | Occurrence 1 .. 1 |
| —Current status | |
| ACTIVewithDRAWAL | Occurrence 0 .. 1 |
| —Start | |
| —End | |
| ACTIVEEXCLUSION | Occurrence 0 .. unbounded |
| —Start | |
| —End | |
| —Country, coded | |

2.11 I11-TerminateTIROperation

MESSAGE

| | |
|------------------------------|---------------------------|
| —Message function, coded | |
| —Message reference number | |
| —Type, coded | |
| GUARANTEE | Occurrence 1 .. 1 |
| —Validity | |
| —Reference | |
| —Guarantee type | |
| GUARANTEECHAIN | Occurrence 1 .. 1 |
| —Code | |
| TIROPERATION | Occurrence 1 .. 1 |
| —Sequence number | |
| —Registration number | |
| TERMINATION | Occurrence 1 .. 1 |
| —Date | |
| —Number of packages | |
| ADDITIONALINFORMATION | Occurrence 0 .. 1 |
| —Reservations | |
| CONSIGNMENT | Occurrence 0 .. unbounded |
| —Sequence number | |
| TRANSPORTEQUIPMENT | Occurrence 1 .. unbounded |
| —Identification | |
| SEAL | Occurrence 1 .. unbounded |
| —Sequence number | |
| —Seal number | |
| —Seal type code | |
| CONTROL | Occurrence 1 .. 1 |
| —Control type, coded | |
| CONTROLRESULT | Occurrence 1 .. unbounded |
| —Code | |
| CUSTOMSOFFICE | Occurrence 1 .. 1 |
| —Customs office, coded | |
| HOLDER | Occurrence 1 .. 1 |
| —Code | |

2.12 I12-TerminationResults

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |
| GUARANTEE | Occurrence 1 .. 1 |
| — <i>Guarantee status</i> | |
| — <i>Reference</i> | |
| — <i>Guarantee type</i> | |
| GUARANTEECHAIN | Occurrence 1 .. 1 |
| — <i>Code</i> | |
| TIROPERATION | Occurrence 1 .. 1 |
| — <i>Sequence number</i> | |
| — <i>Registration number</i> | |
| TERMINATION | Occurrence 1 .. 1 |
| — <i>Date</i> | |
| HOLDER | Occurrence 1 .. 1 |
| — <i>Code</i> | |
| AUTHORIZATION | Occurrence 1 .. 1 |
| — <i>Current status</i> | |
| ACTIVewithDRAWAL | Occurrence 0 .. 1 |
| — <i>Start</i> | |
| — <i>End</i> | |
| ACTIVEEXCLUSION | Occurrence 0 .. unbounded |
| — <i>Start</i> | |
| — <i>End</i> | |
| — <i>Country, coded</i> | |

2.13 I13-DischargeTIROperation

| | |
|-----------------------------------|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — GUARANTEE | Occurrence 1 .. 1 |
| — <i>Validity</i> | |
| — <i>Reference</i> | |
| — <i>Guarantee type</i> | |
| — GUARANTEECHAIN | Occurrence 1 .. 1 |
| — <i>Code</i> | |
| — TIROPERATION | Occurrence 1 .. 1 |
| — <i>Sequence number</i> | |
| — <i>Registration number</i> | |
| — DISCHARGE | Occurrence 1 .. unbounded |
| — <i>Date</i> | |
| — CUSTOMSOFFICE | Occurrence 1 .. 1 |
| — <i>Customs office, coded</i> | |

2.14 I14-DischargeResults

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |
| GUARANTEE | Occurrence 1 .. 1 |
| — <i>Guarantee status</i> | |
| — <i>Reference</i> | |
| — <i>Guarantee type</i> | |
| GUARANTEECHAIN | Occurrence 1 .. 1 |
| — <i>Code</i> | |
| TIROPERATION | Occurrence 1 .. 1 |
| — <i>Sequence number</i> | |
| — <i>Registration number</i> | |
| DISCHARGE | Occurrence 1 .. 1 |
| — <i>Date</i> | |

2.15 I15-NotifyCustoms

MESSAGE

| | |
|----------------------------------|---------------------------|
| —Message function, coded | |
| —Message reference number | |
| —Type, coded | |
| ADVANCEDCARGOINFORMATION | Occurrence 1 .. 1 |
| —Reference | |
| —Date | |
| —Total gross weight | |
| ADDITIONALINFORMATION | Occurrence 1 .. 1 |
| —Remarks | |
| —Heavy and bulky goods indicator | |
| AGENT | Occurrence 0 .. 1 |
| —Code | |
| —Role, coded | |
| AMENDMENT | Occurrence 1 .. unbounded |
| —Amendment code | |
| POINTER | Occurrence 1 .. unbounded |
| —Sequence number | |
| —Document/message section, coded | |
| —Tag identifier | |
| SUBCONTRACTOR | Occurrence 0 .. 1 |
| —Name | |
| —Code | |
| ADDRESS | Occurrence 0 .. 1 |
| —City name | |
| —Country, coded | |
| —Street and number/P.O. Box | |
| —Postcode identification | |
| CONSIGNMENT | Occurrence 1 .. unbounded |
| —Sequence number | |
| ATTACHEDDOCUMENTS | Occurrence 0 .. unbounded |
| —Number | |
| —Issuing date | |
| —Type, coded | |
| BINARYFILE | Occurrence 0 .. 1 |
| —Identification | |
| —Title | |
| —Author name | |
| —Version | |
| —File name | |
| —URI | |
| —MIME | |
| —Encoding | |
| —Character set | |
| —Include binary object | |
| —Access | |
| —Description | |
| —Size | |
| —Type | |
| —Hash code | |
| —Hash code algorithm id | |

| | |
|------------------------------|---------------------------|
| CONSIGNMENTITEM | Occurrence 1 .. unbounded |
| Sequence number | |
| ADDITIONALINFORMATION | Occurrence 0 .. unbounded |
| Remarks | |
| GOODS | Occurrence 1 .. 1 |
| Description | |
| CLASSIFICATION | Occurrence 0 .. unbounded |
| Code | |
| Type | |
| CONSIGNEE | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| CONSIGNOR | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. unbounded |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| DELIVERYDESTINATION | Occurrence 1 .. 1 |
| Name | |
| ADDRESS | Occurrence 1 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |
| GOODSMEASURE | Occurrence 1 .. 1 |
| Gross weight | |
| PACKAGING | Occurrence 1 .. 1 |
| Marks and numbers | |
| Number of packages | |
| Type, coded | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. 1 |
| Identification | |
| UCR | Occurrence 0 .. unbounded |
| Identifier | |
| LOADINGLOCATION | Occurrence 0 .. 1 |
| Name | |
| NOTIFYPARTY | Occurrence 0 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |

| | |
|-----------------------------------|---------------------------|
| CUSTOMSOFFICEOFDEPARTURE | Occurrence 1 .. 1 |
| Code | |
| CUSTOMSOFFICEOFDESTINATION | Occurrence 1 .. 1 |
| Code | |
| TRANSPORTMEAN | Occurrence 1 .. unbounded |
| Identification | |
| Type, coded | |
| Nationality | |
| Conveyance reference number | |
| COUNTRYOFROUTING | Occurrence 1 .. unbounded |
| Sequence number | |
| Country, coded | |
| CERTIFICATEOFAPPROVAL | Occurrence 0 .. 1 |
| Number | |
| Date | |
| Type, coded | |
| BINARYFILE | Occurrence 0 .. 1 |
| Identification | |
| Title | |
| Author name | |
| Version | |
| File name | |
| URI | |
| MIME | |
| Encoding | |
| Character set | |
| Include binary object | |
| Access | |
| Description | |
| Size | |
| Type | |
| Hash code | |
| Hash code algorithm id | |
| TRANSPORTEQUIPMENT | Occurrence 0 .. unbounded |
| Sequence number | |
| Size and type identification | |
| Identification | |
| SEAL | Occurrence 0 .. unbounded |
| Sequence number | |
| Seal number | |
| Seal type code | |
| GUARANTEE | Occurrence 1 .. 1 |
| Validity | |
| Reference | |
| Guarantee type, coded | |
| HOLDER | Occurrence 1 .. 1 |
| Name | |
| Code | |
| ADDRESS | Occurrence 0 .. 1 |
| City name | |
| Country, coded | |
| Street and number/P.O. Box | |
| Postcode identification | |

2.16 I16-NotificationConfirmation

| | |
|--|---------------------------|
| MESSAGE | |
| — <i>Message function, coded</i> | |
| — <i>Functional reference</i> | |
| — <i>Message reference number</i> | |
| — <i>Type, coded</i> | |
| — ADVANCEDCARGOINFORMATION | Occurrence 1 .. 1 |
| — <i>Reference</i> | |
| — NATIONALREFERENCE | Occurrence 1 .. 1 |
| — <i>Reference</i> | |
| — <i>Country, coded</i> | |
| — ERROR | Occurrence 0 .. unbounded |
| — <i>Error, coded</i> | |
| — POINTER | Occurrence 1 .. unbounded |
| — <i>Sequence number</i> | |
| — <i>Document/message section, coded</i> | |
| — <i>Tag identifier</i> | |