ECONOMIC COMMISSION FOR EUROPE

INLAND TRANSPORT COMMITTEE

Working Party on the Standardization of Technical and Safety Requirements in Inland Navigation

Thirty-fifth session Geneva, 3-5 June 2009 Item 2 of the provisional agenda Informal document WP.3 No.3(2009)

29 May 2009

ENGLISH ENGLISH AND RUSSIAN ONLY

EUROPEAN CODE FOR INLAND WATERWAYS (CEVNI)

Comments on the proposed amendments to CEVNI

Note by the secretariat

This informal document contains the comments received from Member States and River Commissions on the amendment proposals to CEVNI, as presented in the official document for the thirty-fifth session of the Working Party. Comments from the Central Commission for the Navigation of the Rhine will be presented separately.

	Document	Paragraph	Comment
1.	ECE/TRANS/SC.3/	Paragraph 2, point b	Belgium: correction of term: «pushed barges» and not
	WP.3/2008/15/Rev.1		«push barges »
2.		Paragraph 2, point 1	Russian Federation: replace "seen" by "when moving"
3.		Paragraph 2, point 0	1) Belgium : Belgium proposes to modify the text to
			include vessels that were not constructed and equipped for
			transporting more than 12 passages. This would allow us
			to include ferryboats and cargo vessels which carry
			passengers and oblige them to comply with article 1.07.3.
			The new proposal is as follows:
			The term 'passenger vessel' means a day-trip or
			cabin vessel constructed and equipped to carry
			more than 12 passengers or a vessel used for
			carrying more than 12 passengers.
			2) Czech Republic : proposes to delete "day-trip or cabin"
4.		N/A	Additional proposals for definitions to be included in
			Article 1.01
			Belgium :
			1) Belgium proposes to improve the definition of small
			craft in the following manner:
			The term "small craft" means any vessel with a
			hull less than 20 m long, except vessels built or
			equipped to tow, push or propel in side-by-side

	Document	Paragraph	Comment
			formation vessels other than small craft, and except craft authorized to carry more than 12 passengers and ferry-boats;
			 2) Belgium proposes to add a definition of « Large vessels », which would make it possible to avoid (as in article 6.16.7¹) expressions «other vessels" and "vessels which are not small craft ». This would facilitate understanding the provisions of CEVNI
			 3) Czech Republic proposes to use the definitions from Directive 2006/87/EC for the following terms: a. Floating equipment b. Pushed barges c. Small craft
5.		Paragraph 9, point a	 Belgium understands the intention behind the new proposal but, in Belgium's opinion, it does not seem wise to establish a list of document which it is obligatory to have on board. On one hand, it means that CEVNI needs to be modified every time a new document is required by the technical or dangerous goods requirements. On the other hand, such a list risks being incomplete. Finally, it should be mentioned that not all the documents listed in the current draft are compulsory in all cases (gaz installation certificate, tachygraphe, what about barges ?). Belgium avoided this problem by using the following text: <i>Art 1.10 Documents on board of a vessel</i> <i>1. Vessels and convoys shall carry inter alias the following documents, provided that they are required by the applicable regulations: a) Measurement certificate, community certificate or authorization to navigate a fixed distance without the measurement certificate</i> b) Documents which certify the compliance with technical prescriptions c) Documents prescribed for the transport of dangerous goods, that are referred to in ADNR, as far as the vessel, cargo and crew are concerned d) Documents describing the nature and the quantity of cargo

^{1 6.16.7} The provisions of paragraphs 1 to 3 shall not apply to small craft in relation to other vessels, nor shall those of paragraph 4 apply to vessels which are not small craft in relation to small craft. The provisions of paragraph 2 shall not apply to small craft among themselves

Informal document WP.3 № 3 (2009) page 3

	Document	Paragraph	Comment
		~ *	On pushed barges :
			- Documents referred to in paragraphs a),
			b) and c) can be replaced by a copy;
			- Documents referred to in paragraph b)
			can be replaced by an affixed plate which
			specifies, at least, the official number of
			the vessel, number of the community
			certificate or inspection certificate etc []
			2. The documents required to be carried on board
			shall be produced whenever requested by the
			control officer. If needed, the boatmaster will
			come onshore to satisfy these requirements
			If, nevertheless, it is decided to keep this list, Belgium
			have the following comments:
			1. Para. a): community certificate is not mentioned
			2. In accordance with para b), vessels cannot
			navigate without a measurement certificate.
			But in Belgium vessels are authorize to
			navigate to the construction site without this
			certificate. Therefore, there should be a
			possibility for administration to waiver this
			obligation,
			3. In para. t), in French, "batiment" should be replaced by "bateau".
			4. It is possible to use the expression "if
			equipped" Example: in para. g) "If the vessels
			is equipped with tachographe"
			5. What is the content of the ship's article?
			2) Russian Federation
			1. Paragraphs o), w) and m) duplicate the information
			contained in the ship's certificate and the engine certificate
			2. Paragraph t) is only applicable to the container ships
			In the light of the abovementioned points, RF proposes not to
			extend paragraph 1 of Article 1.9, but instead:
			- Maintain the current text with the correction of point
			b) as initially proposed by the working group and
			with the addition of the certificate on preventing the
			oil pollution from vessel and
			- Include in Article 9.02 the following text:
			"Competent authorities may require the presence of
			board of additional documents"
6.		Paragraph 9, point c	Belgium is not in favour of deleting paragraph 2, as in
			Belgium measurement certificates are not issued to the
			recreational vessels with the length less than 15 m.

	Document	Paragraph	Comment
7.		Paragraph 13, point a	Belgium
			1. As in the case of article 1.10, Belgium is not in favor of
			establishing a list of conditions, based on which
			administration can prohibit vessels to navigate. Such a list
			risks being incomplete or inapplicable to all vessels.
			2. According to CEVNI, small craft without a ship's certificate has to be stopped. Belgium does not issue
			certificates for small craft and wishes to maintain this
			situation.
			3. "certificate of registry" should be replace with "an
			inspection or a community certificate"
			4. For container vessels, a stability certificate has to be
			listed. In the absence of the stability calculations, the
			vessels presents a danger and should be stopped.
8.	ECE/TRANS/SC.3/		Belgium: the case of vessels with rectangular stem is not
	WP.3/2008/16/Rev.1		addressed, if the name is affixed on the sides, it is not
9.		Dono anomb 2 maint a	readable, so the name should also be inscribed on the front.
9.		Paragraph 3, point c	Russian Federation repeats its comment that, since a pushed barge is not a motorized vessel, there is not need to
			add the words "except for the pushed barges"
10.		Paragraph 4, point c	Belgium is not in favor of deleting footnote 22 unless it is
			included in Chapter 9 (article 9.03).
			Belgium is against putting the owner's name and address
			on small craft, as ill-intentioned people could get the
			address and rob the owner's house when the boat is not in
			the port. Belgium would like to be able to make exceptions
11		D 11 41	to this rule.
11.	ECE/TRANS/SC.3/ WP.3/2009/3/Rev.1	Paragraph 1, point d	1)Belgium proposes to add the following text: "the height of lights and marks should be applied in
	W1.3/2009/3/RCV.1		accordance with the rectangle of navigation (in particular
			depending on the ship's air draught and the waterway's
			bridge clearance)"
			2)Austria/DC : replace « hull waterline » with
			« waterline »
12.		Paragraph 3, point a	Czech Republic needs to allow a general reduction to 4 m
13.		Paragraph 3, point a	Czech Republic needs to allow a general reduction to 4 m
14.		Paragraph 3, point d	Russian Federation proposes moving footnote 25 to
15.		Dorograph 11 maint	Chapter 9 Relation : a) and b) are redundant
13.		Paragraph 11, point a) and b)	Belgium : a) and b) are redundant
			Romania : a) can be deleted
16.		Paragraph 12	Austria/DC: Add in article 3.20 para 4. "and need not carry
			the black ball by day".
17.	ECE/TRANS/SC.3/	N/A	Belgium: Chapter 4 does not mention that the sound signals
	WP.3/2009/4/Rev.1		are more important than the use of radiotelephony. It is
10		-	important to state this.
18.		Paragraph 4, point e	Secretariat: the reference to RAINWATT agreement could
			be included in Chapter 9

Informal document WP.3 № 3 (2009) page 5

montant eam cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain ar cases.
eam cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
are subject to currents, or very little. Different ferent rules and Class II cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
are subject to currents, or very little. Different ferent rules and Class II cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
or very little. Different ferent rules and Class II cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
ferent rules and Class II cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
cannot be deleted. are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
are subject to currents, or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
or very little. Different ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
ferent rules and Class II tence deleted ? Often rways or are unable to turn elgium wants to maintain
tence deleted ? Often rways or are unable to turn elgium wants to maintain
rways or are unable to turn elgium wants to maintain
rways or are unable to turn elgium wants to maintain
elgium wants to maintain
I Cases.
tificate ».
can be interpreted as
and b need to be
be moved. Therefore,
or »
paragraph c) is different
graphs should be deleted.
favor of a new paragraph
es to move by its own
would enable a barge,
from convoy to go through
without the help of
propel itself using its
gement rule, not a
like to mention that many
d no operator is present.
affic installing a radar is
e could be sufficient and
cannot be deleted.
are subject to currents,
or very little. Different
ferent rules and Class II
foreint rules und Cluss II
cannot be deleted.

	Document	Paragraph	Comment
			while vessels of class II are not or very little. Different navigation conditions call for different rules and Class II cannot be abolished.
28.		Paragraph 24, point a	Belgium : Column II deals with class 2 and cannot be deleted. Vessels in waterways of Class I are subject to currents, while vessels of class II are not or very little. Different navigation conditions call for different rules and Class II cannot be abolished.
29.		Paragraph 24, point b	 Romania proposes to keep the words "in reduced visibility " and modify the text as follows In reduced visibility, vessels and convoys not navigating by radar shall immediately proceed to the nearest safe berth. Belgium : Add « Safe berthing or anchoring areas"
30.		Paragraph 24, point d	Belgium : the phrase is not clear
31.		Paragraph 27, point a	Belgium: para 1 needs to be reworded. It is not understandable anymore
32.	ECE/TRANS/SC.3/ WP.3/2009/15	Paragraph 3, point c	Belgium : Add, "if there are passengers on board" There is no need for a watch if no one is on board
33.	ECE/TRANS/SC.3/ WP.3/2009/16	Paragraph 1, point a	Russian Federation: proposes the title «Signaling And Reporting Requirements In Transport Of Dangerous Goods", as it matches better the content of the chapter
34.		Paragraph 1, point a	Austria/DC: amend para 1 according to CCNR and DFND
35.		Paragraph 1, point b	Russian Federation considers that the content of the new sentence is already covered by para 4 (d).
36.		Paragraph 3, point a	Russian Federation 1. To avoid radio- and vessel management- overload with excessive information, RF proposes not to extend the list of vessels subject to the reporting requirements. 2. RF proposes to draft the list of the required data based on paragraph 7.1.5.8 of ADN. This would harmonize the requirements of CEVNI and ADN and the data transmission by captains. The new proposal is as follows "Boatmaster of a vessel transporting dangerous goods shall report the following particulars to the competent authority of the State in which the voyage has started: name of the vessel; official number; dead-weight tonnage; description of the dangerous goods carried as given in the transport document (UN number or substance identification number, the shipping name, class and,

intermediate intermediat intermediat i	
a case - number of persons on bo - port of destination; and - planned shipping route. This reporting duty shall apply in e territory once to both passages upst downstream so far as the competent aut require. When passing the other traffic control designated by the competent the following particulars shall be report - - name of the vessel; - official number; - dead-weight tonnage" 37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 41. Paragraph 8 Belgium :	king group)
- number of persons on bo - port of destination; and - planned shipping route. This reporting duty shall apply in e territory once to both passages upst downstream so far as the competent aut require. When passing the other traffic control designated by the competent the following particulars shall be reported the following particulars shall be reported and require. 37. ECE/TRANS/SC.3/ WP.3/2009/18 38. ECE/TRANS/SC.3/ WP.3/2009/19 39. Paragraph 4 Austria/DC - 4db add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to cur	tity in each
- port of destination; and - planned shipping route. This reporting duty shall apply in e territory once to both passages upst downstream so far as the competent aut require. When passing the other traffic contro designated by the competent the following particulars shall be reported - name of the vessel; - official number; - dead-weight tonnage" 37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph	•
- planned shipping route. This reporting duty shall apply in e territory once to both passages upst downstream so far as the competent aut require. When passing the other traffic control designated by the competent aut require. When passing the other traffic control dead-weight tonnage" 37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8	oard;
37. ECE/TRANS/SC.3/ WP.3/2009/18 This reporting duty shall apply in eterritory once to both passages upst downstream so far as the competent aut require. When passing the other traffic control designated by the competent the following particulars shall be reported and the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the second barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals wit	
a territory once to both passages upst downstream so far as the competent aut require. When passing the other traffic controd designated by the competent at the following particulars shall be report – name of the vessel; – official number; – dead-weight tonnage" 37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to cur	
downstream so far as the competent autrequire. When passing the other traffic controdesignated by the competent the following particulars shall be reported the following particulars shall be reported to the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ Paragraph 4 Austria/DC 38. ECE/TRANS/SC.3/ Paragraph 4 Austria/DC 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2	each State
a require. when passing the other traffic control designated by the competent the following particulars shall be reported to the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - - - - - 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be del	stream and
When passing the other traffic control designated by the competent the following particulars shall be reported to the following particulars shall be reported to competent	uthorities so
a designated by the competent the following particulars shall be reported in the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the second barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with	
37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to curre	rol stations
- name of the vessel; - official number; - dead-weight tonnage" 37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 39. Paragraph 6 39. Paragraph 6 40. Paragraph 7 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to curr	authority,
37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to curre	orted:
37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to curre	
37. ECE/TRANS/SC.3/ WP.3/2009/18 Russian Federation: Chapter 9 should include the the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents	
WP.3/2009/18 the supplement to CEVNI on national rules in Kazakhstan, Moldova etc 38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to curr	
38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents	e content of
38. ECE/TRANS/SC.3/ WP.3/2009/19 Paragraph 4 Austria/DC - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents	in Belarus,
WP.3/2009/19 - 42b add a picture with two black balls - 46, by day: delete the black balls in the secon barges 39. Paragraph 6 40. Paragraph 7 40. Paragraph 7 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents	
39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents	
39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents	
39. Paragraph 6 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents	ond row of
40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents	
40. Paragraph 7 The Netherlands prefers to keep the requirements Navigation Lights in the Annexes to CEVNI. 41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to currents of the subject to current of the subject to	ts for
41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be deleted Vessels in waterways of Class I are subject to current of the sub	
41. Paragraph 8 Belgium : Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to cur	ts for
Column II deals with class 2 and cannot be delete Vessels in waterways of Class I are subject to cur	
Vessels in waterways of Class I are subject to cur	
while vessels of class II are not or very little. Diff	
navigation conditions call for different rules and C	Class II
cannot be abolished.	
42. Paragraph 9 Belgium :	4 a d
Column II deals with class 2 and cannot be delete	
Vessels in waterways of Class I are subject to cur while vessels of class II are not or very little. Diff	
navigation conditions call for different rules and C	
cannot be abolished.	Class II
43. Paragraph 23 The Netherlands prefers to keep the requirements	ts for
Radar Equipment in the Annexes to CEVNI.	15 101

- - - - -