

## **Economic and Social Council**

Distr.: General 28 July 2010

Original: English

### **Economic Commission for Europe**

**Inland Transport Committee** 

#### **World Forum for Harmonization of Vehicle Regulations**

One-hundred-and-fifty-second session Geneva, 9–12 November 2010 Item 4.2.11 of the provisional agenda 1958 Agreement – Consideration of draft amendments to existing Regulations by GRE

# Proposal for the 01 series of amendments to Regulation No. 119 (Cornering lamps)

# Submitted by the Working Party on Lighting and Light-Signalling $\left(GRE\right)^{*}$

The text reproduced below was adopted by the Working Party on Lighting and Light-Signalling (GRE) at its sixty-third session. It is based on ECE/TRANS/WP.29/GRE/2010/10 as amended by Annex VII to the report. It is submitted to the World Forum for Harmonization of Vehicle Regulations (WP.29) and to the Administrative Committee (AC.1) for consideration (ECE/TRANS/WP.29/GRE/63, para. 32).

Please recycle

In accordance with the programme of work of the Inland Transport Committee for 2006–2010 (ECE/TRANS/166/Add.1, programme activity 02.4), the World Forum will develop, harmonize and update Regulations in order to enhance the performance of vehicles. The present document is submitted in conformity with that mandate.

Table of contents,

Add a reference to a new paragraph 13., to read:

"13. Transitional Provisions"

The text of the Regulation,

Paragraph 4.3.3., amend to read:

"4.3.3. The first two digits (at present 01) of the approval number ..."

Paragraph 6.3., amend to read:

"6.3. The intensity of the light emitted in all directions shall not exceed 300 cd above the 1.0U L and R line, 600 cd on the horizontal plane 14,000 cd below the 0.57 D-L and R line."

Paragraph 7.1., amend to read:

"7.1. All measurements shall be carried out with uncoloured standard filament lamps of the types prescribed for the device, adjusted to produce the reference luminous flux prescribed at 13.2 V for light sources as listed in Regulation No. 37, Annex 1 under the group 1 and at 13.5 V for the light sources as listed in Regulation No. 37, Annex 1 under the group 2, when not supplied by an electronic light source control gear."

*Insert new paragraphs 13. to 13.4.*, to read:

### "13. Transitional provisions

- 13.1. From the date of entry into force of the 01 series of amendments to this Regulation, no Contracting Party applying it shall refuse to grant approvals under this Regulation as amended by the 01 series of amendments.
- 13.2. As from 60 months after the date of entry into force of the 01 series of amendments, Contracting Parties applying this Regulation shall grant approvals only if the cornering-lamp meets the requirements of this Regulation as amended by the 01 series of amendments.
- 13.3. Existing approvals for cornering-lamps already granted under this Regulation before the date of entry into force of the 01 series of amendments, shall remain valid indefinitely."
- 13.4. Contracting Parties applying this Regulation shall not refuse to grant extensions of approvals to the preceding series of amendments to this Regulation."


Annex 2, Figure 1 and the text, amend to read:

## "Examples of arrangements of approval marks

Figure 1

Marking for single lamps

Model A



a = 5 mm min.

The device bearing the approval mark shown above is a cornering lamp approved in Japan (E 43) pursuant to Regulation No. 119 under approval number 221. The approval number indicates that the approval was granted in accordance with the requirements of Regulation No. 119 as amended by the 01 series of amendments.


... "


Figure 2 and the text, amend to read:

"Figure 2


• • •

Model B





#### Model D



*Note*: The three .... and comprising:

. . .

A cornering lamp approved in accordance with the 01 series of amendments to Regulation No. 119."