

Economic and Social Council

Distr.: General 20 July 2010 English

Original: English and French

Economic Commission for Europe

Inland Transport Committee

World Forum for Harmonization of Vehicle Regulations

One-hundred-and-fifty-second session Geneva, 9–12 November 2010 Item 4.2.2 of the provisional agenda 1958 Agreement – Consideration of draft amendments to existing Regulations by GRE

Proposal for Supplement 21 to the 01 series of amendments to Regulation No. 6 (Direction indicators)

Submitted by the Working Party on Lighting and Light-Signalling $(GRE)^*$

The text reproduced below was adopted by the Working Party on Lighting and Light-Signalling (GRE) at its sixty-third session. It is based on ECE/TRANS/WP.29/GRE/2010/13 not amended. It is submitted to the World Forum for Harmonization of Vehicle Regulations (WP.29) and to the Administrative Committee (AC.1) for consideration (ECE/TRANS/WP.29/GRE/63 para. 23).

^{*} In accordance with the programme of work of the Inland Transport Committee for 2006–2010 (ECE/TRANS/166/Add.1, programme activity 02.4), the World Forum will develop, harmonize and update Regulations in order to enhance the performance of vehicles. The present document is submitted in conformity with that mandate.

Table of contents, amend to read:

. . .

Annexes

- 1. Categories of direction indicators: Minimum angles required for light distribution in space of these categories of direction indicators
- Communication concerning the approval or extension or refusal or withdrawal of approval or production definitely discontinued of a type of direction indicator pursuant to Regulation No. 6
- 3. Examples of arrangements of the approval marks
- 4. Photometric measurements
- 5. Minimum requirements for conformity of production control procedures
- 6. Minimum requirements for sampling by an inspector"

Text of the Regulation,

Paragraph 8., amend to read:

"8. Colour of light emitted

The colour of the light emitted inside the field of the light distribution grid defined in paragraph 2. of Annex 4 shall be amber. Outside this field, no sharp variation of colour shall be observed. To check these colorimetric characteristics, the test procedure described in paragraph 7. of this Regulation shall be applied. These requirements shall also apply within the range of variable luminous intensity produced by direction indicators of category 2b.

However, for lamps equipped with non-replaceable light sources (filament lamps and other), the colorimetric characteristics should be verified with the light sources present in the lamp, in accordance with relevant subparagraphs of paragraph 7.1. of this Regulation."

Paragraphs 10.2. and 10.3., amend to read:

- "10.2. The minimum requirements for conformity of production control procedures set forth in Annex 5 to this Regulation shall be complied with."
- "10.3. The minimum requirements for sampling by an inspector set forth in Annex 6 to this Regulation shall be complied with."

Annex 3, the title, amend to read:

"Examples of arrangements of the approval marks"

Annex 5, shall be deleted.

Annex 6 (former), renumber as Annex 5.

Annex 5 (new), paragraph 2.5., amend to read:

"2.5. Criteria governing acceptability

The manufacturer is responsible for carrying out a statistical study of the test results and for defining, in agreement with the competent authority, criteria governing the acceptability of his products in order to meet the specifications laid down for verification of conformity of products in paragraph 10.1. of this Regulation.

The criteria governing the acceptability shall be such that, with a confidence level of 95 per cent, the minimum probability of passing a spot check in accordance with Annex 6 (first sampling) would be 0.95."

Annex 7 (former), renumber as Annex 6.