

Distr.: General 21 September 2012

Original: English

Committee of Experts on the Transport of Dangerous Goods and on the Globally Harmonized System of Classification and Labelling of Chemicals

Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals

Twenty-fourth session

Geneva, 12 – 14 December 2012 Item 2 (d) of the provisional agenda Updating of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS): Annexes

Improvement of the presentation of annexes 1 and 2 of the GHS

Transmitted by the expert from Sweden on behalf of the informal correspondence group on the improvement of annexes 1, 2 and 3 of the $GHS^{\scriptscriptstyle 1}$

Background

1. At the 20^{th} session of the Sub-Committee the following terms of reference were agreed for the continuing work of the informal correspondence group on improvement of Annexes 1-3 of the GHS:

"Pursue work to further improve Annexes 1, 2 and 3 of the GHS, following the workstreams hereafter, with the first two given priority:

(i) Workstream 1: to develop proposals to rationalize and improve the usability of hazard and precautionary statements, including proposals to eliminate redundancies among these statements;

Please recycle

¹ In accordance with the programme of work of the Sub-Committee for 2011-2012 approved by the Committee at its fifth session (refer to ST/SG/AC.10/C.3/76, para. 116 and ST/SG/AC.10/38, para. 16).

- (ii) Workstream 2: to adjust as appropriate the precautionary statements for physical hazards, their allocation to hazard classes and categories, and their conditions for use;
- (iii) Workstream 3: to improve the presentation of Annexes 1, 2 and 3 of the GHS, taking into account the intended audiences, uses and purposes of the GHS".
- 2. Addressing Workstream 3, a proposal for a revised annex, combining the information presented in Annexes 1 and 2 of the GHS, was presented at the 23rd session of the Sub-Committee (INF.16).
- 3. The proposal received positive response at the meeting and Sweden volunteered to bring the proposal forward, on behalf of the informal correspondence group, in a working document to the next session of the Sub-Committee.

Proposal

- 4. While a summary table of labelling elements, including the transport pictograms, is desirable, inclusion of the classification criteria in an Annex (as in current annex 2) is not desirable as that may draw attention away from the main text of the GHS where the criteria are described at length.
- 5. Therefore, it is proposed to merge the current annexes 1 and 2 of the GHS into one single annex 1 to read as follows:

"Annex 1 CLASSIFICATION AND LABELLING SUMMARY TABLES

NOTE: The codification of hazard statements is further explained in Annex 3 (Section 1). The hazard statement codes are intended to be used for reference purposes only. They are not part of the hazard statement text and should not be used to replace it.

A1.1 Explosives (see Chapter 2.1 for classification criteria)

Classi	Classification		Labelling						
Hazard class	Hazard category		Pictogram UN Model		Hazard statement	Code			
	Unstable explosive		Regulations ^a (Transport not allowed)	word	Unstable explosive	H200			
	Division 1.1			Danger	Explosive; mass explosion hazard	H201			
	Division 1.2				Explosive; severe projection hazard	H202			
Explosives	Division 1.3				Explosive; fire, blast or projection hazard	H203			
	Division 1.4		1.4	Warning	Fire or projection hazard	H204			
	Division 1.5	No pictogram	1.5	Danger	May mass explode in fire	H205			
	Division 1.6	No pictogram	1.6	No signal word	No hazard statement	None			

a (*) Place for compatibility group.

The pictogram for Divisions 1.1, 1.2 and 1.3 is also assigned to substances which have an explosive subsidiary risk, but without the indication of the division number and the compatibility group (see also "Self-reactive substances and mixtures" and "Organic peroxides").

A1.2 Flammable gases (including chemically unstable gases) (see Chapter 2.2 for classification criteria)

Class	ification	Labelling						
Hazard	Hazard	Pictogram		Signal				
class	category	GHS	UN Model Regulations ^a	Signal word	Hazard statement	Code		
	1			Danger	Extremely flammable gas	H220		
Flammable gases	2	No pictogram	Not required	Warning	Flammable gas	H221		
(including chemically unstable gases)	A (chemically unstable gases)	No additional pictogram	Not required	No additional signal word	Additional hazard statement: May react explosively even in the absence of air	H230		
	B (chemically unstable gases)	No additional pictogram	Not required	No additional signal word	Additional hazard statement: May react explosively even in the absence of air at elevated pressure and/or temperature	H231		

^a Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line may be shown in black instead of white. The background colour stays red in both cases.

A1.3 Aerosols (see Chapter 2.3 for classification criteria)

Class	Classification		Labelling						
		Picto	ogram						
Hazard class	Hazard category	GHS	UN Model Regulations ^a	Signal word	Hazard statement	Code			
	_		Danger Press	Extremely flammable aerosol	H222				
	1			Danger	Pressurized container: may burst if heated	H229			
Aerosols	•			***	Flammable aerosol	H223			
Acrosors	2		2	Warning	Pressurized container: may burst if heated	H229			
	3	No pictogram		Warning	Pressurized container: may burst if heated	H229			

^a Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line may be shown in black or white. The background colour stays red in the first two cases and green in the third case.

A1.4 Oxidizing gases (see Chapter 2.4 for classification criteria)

Classi	fication	on			Labelling		
Hazard Hazard class category	Pictogram		G! 1				
			UN Model Regulations	Signal word	Hazard statement	Code	
Oxidizing gases	1		5.1	Danger	May cause or intensify fire; oxidizer	H270	

A1.5 Gases under pressure (see Chapter 2.5 for classification criteria)

Classification		Labelling						
Hazard	Hazard	Pictogram		Signal				
class	category	GHS	UN Model Regulations ^a	word	Hazard statement	Code		
	Compressed gas			Warning	Contains gas under pressure; may explode if heated	H280		
Gases under	Liquefied gas		2	Warning	Contains gas under pressure; may explode if heated	H280		
pressure	Refrigerated liquefied gas	\Diamond	2	Warning	Contains refrigerated gas; may cause cryogenic burns or injury	H281		
	Dissolved gas		2	Warning	Contains gas under pressure; may explode if heated	H280		

^a Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line may be shown in white instead of black. The background colour stays green in both cases. This pictogram is not required for toxic or flammable gases (see also note "a" to tables A1.17 and A1.2).

A1.6 Flammable liquids (see Chapter 2.6 for classification criteria)

Classifi	ication	Labelling						
Hazard	Hazard	Pictogram		Signal				
class	category	GHS	UN Model Regulations ^a	word	Hazard statement	Code		
	1			Danger	Extremely flammable liquid and vapour	H224		
Flammable liquids	2		3	Danger	Highly flammable liquid and vapour	H225		
iiquius	3		3	Warning	Flammable liquid and vapour	H226		
	4	No pictogram	Not required	Warning	Combustible liquid	H227		

^a Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line may be shown in black instead of white. The background colour stays red in both cases.

A1.7 Flammable solids (see Chapter 2.7 for classification criteria)

Classification			Labelling					
	Hazard	Pictogram		Signal				
	category	GHS	UN Model Regulations	word	Hazard statement	Code		
Flammable solids	1			Danger	Flammable solid	H228		
	2			Warning	Flammable solid	H228		

A1.8 Self-reactive substances and mixtures (see Chapter 2.8 for classification criteria)

Classif	ication	Labelling								
Hazard	Hazard	Pictog	gram	Signal						
class	category	GHS UN Model Regulations ^a		word	Hazard statement	Code				
	Type A		(Transport may not be allowed) ^b	Danger	Heating may cause an explosion	H240				
Self- reactive substances	Туре В			Danger	Heating may cause a fire or explosion	H241				
and mixtures	Types C and D			Danger	Heating may cause a fire	H242				
	Types E and F			Warning	Heating may cause a fire	H242				
	Type G	No pictogram	Not required	No signal word	No hazard statement	None				

^a For Type B, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, special provision 181 may apply (Exemption of explosive label with competent authority approval. See Chapter 3.3 of UN Model Regulations for more details).

May not be acceptable for transport in the packaging in which it is tested (See Chapter 2.5, par. 2.5.3.2.2 of the UN Model Regulations).

A1.9 Pyrophoric liquids (see Chapter 2.9 for classification criteria)

Classification		Labelling					
Hazard class	Hazard	Pictogram		Signal			
	category	GHS	UN Model Regulations	word	Hazard statement	Code	
Pyrophoric liquids	1			Danger	Catches fire spontaneously if exposed to air	H250	

A1.10 Pyrophoric solids (see Chapter 2.10 for classification criteria)

Classification				Labelling		
Hazard class	Hazard	Pictogram		Signal		
	category	GHS	UN Model Regulations	word	Hazard statement	Code
Pyrophoric solids	1			Danger	Catches fire spontaneously if exposed to air	H250

A1.11 Self-heating substances and mixtures (see Chapter 2.11 for classification criteria)

Classification		Labelling						
	Hazard	Pictogram		Signal				
	category	GHS	UN Model Regulations	word	Hazard statement	Code		
Self- heating	1			Danger	Self-heating; may catch fire	H251		
substances and mixtures	2			Warning	Self-heating in large quantities; may catch fire	H252		

A1.12 Substances and mixtures, which in contact with water, emit flammable gases (see Chapter 2.12 for classification criteria)

Classification		Labelling						
Hazard class	Hazard	Pictogram		Signal				
	category	GHS	UN Model Regulations ^a	word	Hazard statement	Code		
Substances and mixtures,	1		**	Danger	In contact with water releases flammable gases which may ignite spontaneously	H260		
which in contact with water,	2		1	Danger	In contact with water releases flammable gases	H261		
emit flammable gases	3		4	Warning	In contact with water releases flammable gases	H261		

^a Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line may be shown in black instead of white. The background colour stays blue in both cases.

A1.13 Oxidizing liquids (see Chapter 2.13 for classification criteria)

Classification		Labelling						
Hazard	Hazard	Pictogram		Signal				
class	category	GHS	UN Model Regulations	word	Hazard statement	Code		
	1		5.1	Danger	May cause fire or explosion; strong oxidizer	H271		
Oxidizing liquids	2		5.1	Danger	May intensify fire; oxidizer	H272		
_	3		5.1	Warning	May intensify fire; oxidizer	H272		

A1.14 Oxidizing solids (see Chapter 2.14 for classification criteria)

Classi	Classification		Labelling						
Hazard	Hazard class Category GHS UN Model Regulations Signa word	Pictogram		Signal					
		word	Hazard statement	Code					
	1		5.1	Danger	May cause fire or explosion; strong oxidizer	H271			
Oxidizing solids	2		5.1	Danger	May intensify fire; oxidizer	H272			
	3		5.1	Warning	May intensify fire; oxidizer	H272			

A1.15 Organic peroxides (see Chapter 2.15 for classification criteria)

Classif	ication		I	abelling		
Hazard	Hazard	Picto	ogram	Signal		
class	category	GHS	UN Model Regulations ^a	word	Hazard statement	Code
	Type A		(Transport may not be allowed) ^b	Danger	Heating may cause an explosion	H240
Organic	Туре В			Danger	Heating may cause a fire or explosion	H241
peroxides	Types C and D		5.2	Danger	Heating may cause a fire	H242
	Types E and F		5.2	Warning	Heating may cause a fire	H242
	Type G	No pictogram	Not required	No signal word	No hazard statement	None

^a For Type B, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, special provision 181 may apply (Exemption of explosive label with competent authority approval. See Chapter 3.3 of UN Model Regulations for more details).

May not be acceptable for transport in the packaging in which it is tested (See Chapter 2.5, par. 2.5.3.2.2 of the UN Model Regulations).

A1.16 Corrosive to metals (see Chapter 2.16 for classification criteria)

Classi	Classification				Labelling			
Hazard Hazard category	Pictogram		Signal					
		GHS	UN Model Regulations	word	Hazard statement	Code		
Corrosive to metals	1			Warning	May be corrosive to metals	H290		

A1.17 Acute toxicity (see Chapter 3.1 for classification criteria)

C	lassific	cation			La	belling	
Hazard			Pictogram		Signal		
class	Haza	ard category	GHS	UN Model Regulations ^a	word	Hazard statement	Code
		Oral				Fatal if swallowed	H300
	1	Dermal			Danger	Fatal in contact with skin	H310
		Inhalation		6		Fatal if inhaled	H330
		Oral		6	Danger	Fatal if swallowed	H300
2	2	Dermal				Fatal in contact with skin	H310
		Inhalation				Fatal if inhaled	H330
		Oral			Danger	Toxic if swallowed	H301
Acute	3	Dermal				Toxic in contact with skin	H311
toxicity		Inhalation				Toxic if inhaled	H331
		Oral				Harmful if swallowed	H302
	4	Dermal	<!-- -->	Not required	Warning	Harmful in contact with skin	H312
		Inhalation				Harmful if inhaled	H332
		Oral				May be harmful if swallowed	H303
	5	Dermal	No pictogram	Not required	Warning	May be harmful in contact with skin	Н313
		Inhalation				May be harmful if inhaled	H333

^a For gases, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, replace the number "6" in the bottom corner of the pictogram by "2".

A1.18 Skin corrosion/irritation (see Chapter 3.2 for classification criteria)

Classificat	ion	Labelling							
	Hazard	Pict	togram	Signal	Hazard statement	Code			
Hazard class	category	GHS	UN Model Regulations	word					
	Corrosive (including A, B and C)	No.		Danger	Causes severe skin burns and eye damage	H314			
Skin corrosion/irritation	2 Irritant	<u>(!)</u>	Not required	Warning	Causes skin irritation	H315			
	3 Mild irritant ^a	No pictogram	Not required	Warning	Causes mild skin irritation	Н316			

^a Applies to some authorities.

A1.19 Serious eye damage/eye irritation (see Chapter 3.3 for classification criteria)

Classification		Labelling						
Hazard	Hazard	Pictogram		Signal				
class	TINI NO 1 1	Hazara statement						
	1 Irreversible effects	KT	Not required	Danger	Causes serious eye damage	H318		
Serious eye damage/eye irritation	2/2A Irritant	⟨•• ⟩	Not required	Warning	Causes serious eye irritation	H319		
	2B Mild irritant	No pictogram	Not required	Warning	Causes eye irritation	H320		

A1.20 Respiratory sensitization (see Chapter 3.4 for classification criteria)

Classification		Labelling						
Hazard class	Hazard	Pictogram		Signal				
	category	GHS	UN Model Regulations	word	Hazard statement	Code		
	1		Not required	Danger	May cause allergy or asthma symptoms or breathing difficulties if inhaled	Н334		
Respiratory sensitization	1A ^a		Not required	Danger	May cause allergy or asthma symptoms or breathing difficulties if inhaled	H334		
	1B ^a		Not required	Danger	May cause allergy or asthma symptoms or breathing difficulties if inhaled	H334		

^a Sub-categories may be applied where data are sufficient and where required by a competent authority.

A1.21 Skin sensitization (see Chapter 3.4 for classification criteria)

Classification		Labelling						
Hazard	Uozond	Pictogram		Signal				
class	-lana	GHS	UN Model Regulations	Signal word	Hazard statement	Code		
	1		Not required	Warning	May cause an allergic skin reaction	H317		
Skin sensitization	1A ^a		Not required	Warning	May cause an allergic skin reaction	H317		
	1B ^a		Not required	Warning	May cause an allergic skin reaction	H317		

^a Sub-categories may be applied where data are sufficient and where required by a competent authority.

A1.22 Germ cell mutagenicity (see Chapter 3.5 for classification criteria)

Classification		Labelling						
Hazard class Hazard category	Uozond	Pictogram		Signal word	Hazard statement	Code		
	GHS	UN Model Regulations						
Germ cell mutagenicity	1 (both 1A and 1B)		Not required	Danger	May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	H340		
	2		Not required	Warning	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	H341		

A1.23 Carcinogenicity (see Chapter 3.6 for classification criteria)

Classification		Labelling						
	Hazard	Pictogram		Signal				
Hazard class	category GHS UN Model Regulations Hazard statement		Code					
Carcinogenicity	1 (both 1A and 1B)		Not required	Danger	May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	H350		
	2		Not required	Warning	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	H351		

A1.24 Toxic to reproduction (see Chapter 3.7 for classification criteria)

Classif	Classification		Labelling						
	Hazard	Pictogram		Signal					
Hazard class	category	GHS	UN Model Regulations	word	Hazard statement	Code			
Toxic to reproduction	1 (both 1A and 1B)		Not required	Danger	May damage fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	H360			
	2		Not required	Warning	Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	H361			
	Additional category for effects on or via lactation	No pictogram	Not required	No signal word	May cause harm to breast-fed children	H362			

A1.25 Specific target organ toxicity following single exposure (see Chapter 3.8 for classification criteria)

Classification		Labelling						
Hazard class	Hazard category	Pictogram		Signal				
		GHS	UN Model Regulations	Signal word	Hazard statement	Code		
Specific	1		Not required	Danger	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	H370		
target organ toxicity following single exposure	2		Not required	Warning	May cause damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	H371		
	3	<u>(1)</u>	Not required	Warning	May cause respiratory irritation or May cause dizziness or drowsiness	H335 H336		

A1.26 Specific target organ toxicity following repeated exposure (see Chapter 3.9 for classification criteria)

Classification		Labelling					
Hazard class	Hazard category	Pictogram		Signal			
		GHS	UN Model Regulations	word	Hazard statement	Code	
Specific target organ	1		Not required	Danger	Causes damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Н372	
toxicity following repeated exposure	2		Not required	Warning	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Н373	

A1.27 Aspiration hazard (See chapter 3.10 for classification criteria)

Classification		Labelling						
Hazard	Hazard category	Pictogram		Signal				
class		GHS	UN Model Regulations	Signal word	Hazard statement	Code		
Aspiration hazard	1		Not required	Danger	May be fatal if swallowed and enters airways	H304		
	2		Not required	Warning	May be harmful if swallowed and enters airways	H305		

A1.28 (a) Short-term (acute) hazards to the aquatic environment (see Chapter 4.1 for classification criteria)

Classification		Labelling						
Hazard	Hazard	Pictogram		Signal				
class	category	GHS	UN Model Regulations ^a	word	Hazard statement	Code		
Short-term (Acute)	Acute 1	¥2>	***************************************	Warning	Very toxic to aquatic life	H400		
hazards to the aquatic environment	Acute 2	No pictogram	Not required	No signal word	Toxic to aquatic life	H401		
	Acute 3	No pictogram	Not required	No signal word	Harmful to aquatic life	H402		

^a For category 1, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the pictogram is not required if the substance presents any other hazards covered by UN Model Regulations. If no other hazard is presented, this pictogram is required as a mark in addition to the UN Model Regulations Class 9 label.

A1.28 (b) Long-term (chronic) hazards to the aquatic environment (see Chapter 4.1 for classification criteria)

Classification		Labelling						
Hazard	Hazard category	Pictogram		Signal				
class		GHS	UN Model Regulations ^a	word	Hazard statement	Code		
	Chronic 1	***		Warning	Very toxic to aquatic life with long lasting effects	H410		
Long-term (Chronic) hazards to the aquatic	Chronic 2	¥2>	***	No signal word	Toxic to aquatic life with long lasting effects	H411		
environment	Chronic 3	No pictogram	Not required	No signal word	Harmful to aquatic life with long lasting effects	H412		
	Chronic 4	No pictogram	Not required	No signal word	May cause long lasting harmful effects to aquatic life	H413		

^a For categories 1 and 2, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the pictogram is not required if the substance presents any other hazards covered by UN Model Regulations. If no other hazard is presented, this pictogram is required as a mark in addition to the UN Model Regulations Class 9 label.

A1.29 Hazardous to the ozone layer (see Chapter 4.2 for classification criteria)

Classification		Labelling					
Hazard class	Hazard category	Pictogram		Signal			
		GHS	UN Model Regulations	word	Hazard statement	Code	
Hazard to the ozone layer	1	(!)	Not required	Warning	Harms public health and the environment by destroying ozone in the upper atmosphere	H420	

- 6. Consequential amendments to other parts of the GHS:
 - Replace current annex 2 (title and contents) with the mention "Annex 2 (Reserved)".
 - Replace "Annex 2" with "Annex 1" throughout the GHS text.

(Applies to: 2.1.3, second sentence; 2.2.3, second sentence; 2.3.3, second sentence; 2.4.3, second sentence; 2.5.3, second sentence; 2.6.3, second sentence; 2.7.3, second sentence; 2.8.3, second sentence; 2.9.3, second sentence; 2.10.3, second sentence; 2.11.3, second sentence; 2.12.3, second sentence; 2.13.3, second sentence; 2.14.3, second sentence; 2.15.3, second sentence; 2.16.3, second sentence; 3.1.4.1, second sentence; 3.2.4, second sentence; 3.3.4, second sentence; 3.4.4.1, second sentence; 3.5.4, second sentence; 3.6.4, second sentence; 3.7.4, second sentence; 3.8.4.1, second sentence; 3.9.4, second sentence; 3.10.4.1, second sentence; 4.1.4, second sentence; 4.2.3, second sentence).

• In the table of contents:

Amend the title of Annex 1 to read "Annex 1 Classification and labelling summary tables" and replace the title of Annex 2 with the mention "(Reserved)".