Distr.: General 14 September 2021

Original: English

Committee of Experts on the Transport of Dangerous Goods and on the Globally Harmonized System of Classification and Labelling of Chemicals

Sub-Committee of Experts on the Transport of Dangerous Goods

Fifty-ninth session

Geneva, 29 November-8 December 2021 Item 2 (i) of the provisional agenda

Explosives and related matters: miscellaneous

Introduction of a new entry for 5-Trifluoromethyltetrazole, sodium salt (TFMT-Na) in Acetone as a desensitized explosive in the Dangerous Goods List of the Model Regulations

Submitted by the European Chemical Industry Council (Cefic)*

Introduction

1. The title compound as shown in Figure 1 is a precursor of a new insecticide entering the market. Due to the explosive properties of the dry substance, it is only handled and transported as a homogenous solution in acetone. As sourcing involves international transport from different countries, Cefic proposes the creation of an entry as a desensitized explosive in the Dangerous Goods List in 3.2.2 of the UN Model Regulations.

Figure 1: 5-Trifluoromethyltetrazole, sodium salt (TFMT-Na)

- 2. Upon the request from industry, the German competent authorities have issued a temporary approval for the transport of the compound classified as UN 3379 DESENSITZED EXPLOSIVE, LIQUID, N.O.S. For a permanent solution, Cefic invites the Sub-Committee to create an entry for a corresponding classification in the Dangerous Goods List.
- 3. A detailed test report and the data sheet to be submitted to the United Nations for new classification of substances can be found in annexes I through V.

^{*} A/75/6 (Sect.20), para. 20.51.

- 4. During the fifty-eighth session, Cefic had submitted informal document INF.21 to initiate a discussion in preparation for a later proposal. Due to the late submission, a thorough discussion was not possible. As a result, all experts in the Sub-Committee were invited to provide their comments, especially with respect to their experiences in toxicity testing of such explosives, their guidance on the proposed amendments to 3.2.2 and the new packing instruction.
- 5. Cefic thanks the expert from Poland for providing a contact for a potential laboratory for toxicity testing. No further comments from members of the Sub-Committee have been obtained at the time of writing this proposal (end of August 2021).
- 6. Despite numerous and intense efforts, Cefic has not been able to successfully place an order for toxicity testing as of the time of writing this document. Requests for testing submitted to several laboratories have been denied on the grounds that they do not have suitable equipment or sufficient experience with explosive compounds, or that there is no permit for handling of such substances.
- 7. While the search for a test laboratory continues, Cefic suggests to take a stepwise approach in this matter: With this proposal, the Sub-Committee is invited to discuss the main issues such as the classification, the entry in the Dangerous Goods List and the packaging. Later in the biennium, subsidiary hazards due to possible toxicity data could be addressed when such information becomes available.
- 8. Beside the commercial packaging, the proposal below also contains a suggested packaging for the transport of samples of this compound. Such samples are frequently used for analytical purposes such as quality monitoring. However, general provisions for the transport of samples of desensitized explosives are not available in the Model Regulations.

Test data

- 9. All tests were performed according to the methods specified in the Manual of Tests and Criteria, sixth revised edition.
- 10. 5-Trifluoromethyltetrazole, sodium salt (TFMT-Na) is not manufactured with the view to producing a practical explosive or pyrotechnic effect. It is not an ammonium nitrate formulation either. TFMT-Na contains functional groups (N-N) indicating explosive properties in its chemical structure (see UN Manual of Tests and Criteria, Appendix 6, table A6.1) The dry compound is thermally stable (decomposition onset above 230 °C in differential scanning calorimetry (DSC) measurement), not sensitive to mechanical stimuli (impact, friction) and gives a positive result in test series 2.
- Provisionally accepted in the Class of Explosives.
- 11. TFMT-Na is easily soluble in water and acetone. The reason why water was not chosen as a desensitizer is that it would evaporate in a fire, leaving an explosive residue whereas the solution of TFTM-Na in acetone burns moderately (see below) and leaves no residue.
- 12. The saturation limit for a homogeneous solution of TFMT-Na in acetone is 53 % by weight. The upper TFMT-Na concentration limit in this proposal is 32 % (30 % aim + 2 % tolerance margin) which is a plentiful buffer to prevent crystallization.
- 13. In test series 2, TFMT-Na solutions of 27.3 % and 53 % (saturated) give a negative result (too insensitive for acceptance into this class).
 - Not an Explosive.
- 14. In a burning rate test of a TFMT-Na solution (30 %) in acetone according to chapter 51 of the UN Manual of Tests and Criteria, a corrected burning rate of 35 41 kg/min was determined for a quantity of 10 000 kg. This result corresponds to a classification as Desensitized Explosive, Category 4 in the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

- 15. Details are specified in the test reports and flow charts in the annexes to this document, Annexes I and II for pure (crystalline) TFMT-Na and Annexes III and IV for the solution in acetone. Annex V contains the data sheet.
- 16. As stated above, studies about harmful biological effects are not yet available.

Proposal

17. In 3.2.2 Dangerous Goods List create an entry as follows:

UN	Name and	Class or	Subsi-	UN	Special	Limited and		Packagings and IBCs		Portable tanks and bulk containers	
No.	description	division	diary hazard	packing group	provi- sions	exe	pted tities	Packing instruction	Special packing provisions	Instructions	Special provisions
(1)	(2)	(3)	(4)	(5)	(6)	(7a)	(7b)	(8)	(9)	(10)	(11)
XX	TRIFLUOROME THYLTETRAZO LE-SODIUM SALT IN ACETONE, with not less than 68 % acetone, by mass	3		I	28, 132, 266	0	ЕО	PYYY	PP26		

18. In 2.3.1.4 amend the last sentence to read as follows (new text in bold underlined):

"Entries in the Dangerous Goods List for liquid desensitized explosives are: UN 1204, UN 2059, UN 3064, UN 3343, UN 3357, and UN 3379 and UN XX."

19. In 3.3.1 modify special provision 28 to read as follows:

"This substance may be transported <u>as a desensitized explosive</u> under the provisions of <u>class</u> <u>3 or</u> division 4.1, <u>respectively</u> only if it is so packed that the percentage of diluent will not fall below that stated, at any time during transport (see <u>2.3.4.1 and</u> 2.4.2.4)."

20. In 4.1.4.1 create a new packing instruction PYYY as follows:

PYYY	PACKING INSTRUCTION	PYYY				
This instruction applies to UN No. XX						
The following pac	ckagings are authorized, provided that the general provisi	ions of 4.1.1 and 4.1.3 as				

well as 4.1.5.12 are met:

- (1) Plastics drum non-removeable head (1H1) of maximum capacity $250\,\mathrm{l}$
- (2) Combination packagings

Outer packagings: 4C2, 4D, 4F, 4Ga, 4H1, 4H2 with a maximum content of 2 litres

Inner packagings: glass inner packagings with a maximum net content of 1 litre cushioned on all sides with dry, absorbent, non-combustible material in a quantity sufficient to absorb the entire contents.

a Packagings shall be siftproof

Additional requirements:

Packagings shall be designed and constructed to prevent the loss of the content of the phlegmatizer.

The packagings shall be transported in an upright position.

Special packing provisions:

PP26 For UN No. XX packagings shall be lead free.

Justification

21. The fact that the product is carried in increasing quantities between different countries justifies a new entry in the Dangerous Goods List. The test results are clear, and a formal temporary approval has been issued for road and sea transport by the German competent authorities.

Annex I

Test report: Pure compound: Procedure for provisional acceptance in the class of explosives according to Figure 10.2 of the Manual of Tests and Criteria


1.	Name of substance	:	5-Trifluoromethyltetrazole, sodium salt (TFMT-Na)
2.	General data		
2.1	Composition	:	5-Trifluoromethyltetrazole, sodium salt (TFMT-Na), technically
2.2	Molecular formula	:	pure C ₂ N ₄ F ₃ Na
2.3	Available oxygen content	•	Not applicable
2.4	Activator content	:	Not applicable
2.5	Physical form	:	Solid, crystalline
2.6	Colour	:	White
2.7	Apparent density		Not known
2.8	Particle size	:	Not determined
3.	Box 2 of the flow chart	:	Is the substance manufactured with the view to producing a
			practical explosive or pyrotechnic effect?
3.1	Answer	:	No
3.2	Exit	:	Go to Box 3
4.	Box 3	:	Is it a candidate for ammonium nitrate emulsion suspension or gel,
			intermediate for blasting explosives, ANE?
4.1	Answer	:	No
4.2	Exit	:	Go to Box 4
5.	Box 4	:	Test series 1
5. 5.1	Box 4 Propagation of detonation	:	Test series 1 Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC
			Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to
5.1	Propagation of detonation	:	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC
5.1 5.2	Propagation of detonation Sample conditions	:	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature
5.1 5.2	Propagation of detonation Sample conditions	:	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g
5.1 5.2 5.3	Propagation of detonation Sample conditions Observations	:	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low
5.1 5.2 5.3 5.4	Propagation of detonation Sample conditions Observations Result Effect of heating under	: : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a)
5.15.25.35.45.5	Propagation of detonation Sample conditions Observations Result Effect of heating under confinement	: : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a) Koenen test (test 1(b)) Mass 24.0-24.2 g
5.15.25.35.45.55.6	Propagation of detonation Sample conditions Observations Result Effect of heating under confinement Sample conditions	: : : : : : : : : : : : : : : : : : : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a) Koenen test (test 1(b)) Mass 24.0-24.2 g Limiting diameter > 16 mm
5.15.25.35.45.55.6	Propagation of detonation Sample conditions Observations Result Effect of heating under confinement Sample conditions	: : : : : : : : : : : : : : : : : : : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a) Koenen test (test 1(b)) Mass 24.0-24.2 g
5.15.25.35.45.55.6	Propagation of detonation Sample conditions Observations Result Effect of heating under confinement Sample conditions	: : : : : : : : : : : : : : : : : : : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a) Koenen test (test 1(b)) Mass 24.0-24.2 g Limiting diameter > 16 mm Fragmentation type "F" (time to reaction 16 s; duration of
5.1 5.2 5.3 5.4 5.5 5.6 5.7	Propagation of detonation Sample conditions Observations Result Effect of heating under confinement Sample conditions Observations Result Effect of ignition	: : : : : : : : : : : : : : : : : : : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a) Koenen test (test 1(b)) Mass 24.0-24.2 g Limiting diameter > 16 mm Fragmentation type "F" (time to reaction 16 s; duration of reaction 0 s)
5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9	Propagation of detonation Sample conditions Observations Result Effect of heating under confinement Sample conditions Observations Result Effect of ignition under confinement	: : : : : : : : : : : : : : : : : : : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a) Koenen test (test 1(b)) Mass 24.0-24.2 g Limiting diameter > 16 mm Fragmentation type "F" (time to reaction 16 s; duration of reaction 0 s) "+", shows some explosive effects on heating under confinement Time/pressure test (test 1 (c) (i))
5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 5.10	Propagation of detonation Sample conditions Observations Result Effect of heating under confinement Sample conditions Observations Result Effect of ignition under confinement Sample conditions	: : : : : : : : : : : : : : : : : : : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a) Koenen test (test 1(b)) Mass 24.0-24.2 g Limiting diameter > 16 mm Fragmentation type "F" (time to reaction 16 s; duration of reaction 0 s) "+", shows some explosive effects on heating under confinement Time/pressure test (test 1 (c) (i)) Ambient temperature
5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9	Propagation of detonation Sample conditions Observations Result Effect of heating under confinement Sample conditions Observations Result Effect of ignition under confinement	: : : : : : : : : : : : : : : : : : : :	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 11.3.5 UN-MTC Ambient temperature Lead block expansion 120-124 ml/10 g Not low "+", propagation of detonation in test 1 (a) Koenen test (test 1(b)) Mass 24.0-24.2 g Limiting diameter > 16 mm Fragmentation type "F" (time to reaction 16 s; duration of reaction 0 s) "+", shows some explosive effects on heating under confinement Time/pressure test (test 1 (c) (i))

6.	Box 5	:	Does it have explosive properties?
6.1	Answer from Test Series 1	:	Yes
6.2	Exit	:	Go to Box 6
7.	Box 6	:	Test Series 2
7.1	Sensitivity to shock	:	Trauzl test (UN F.3) with initiation by detonator No. 8 acc. to 12.3.4 UN-MTC
7.2	Sample conditions	:	Ambient temperature
7.3	Observations	:	Lead block expansion 120-124 ml/10 g Not low
7.4	Result	:	"+", sensitive to shock in test 2 (a)
7.5	Effect of heating under confinement	:	Koenen test (test 2(b))
7.6	Sample conditions	:	Mass 24.0-24.2 g
7.7	Observations	:	Limiting diameter > 16 mm
			Fragmentation type "F" (time to reaction 16 s; duration of reaction 0 s)
7.8	Result	:	"+", violent effects on heating under confinement
7.9	Effect of ignition under confinement	:	Time/pressure test (test 2 (c) (i))
7.10	Sample conditions	:	Ambient temperature
7.11	Observations		Time for pressure rise from 690 to 2070 kPa: $1.9 - 3.9$ ms
7.12	Result		"+", substance is able to deflagrate rapidly
7.13	Exit		Go to Box 7
8.	Box 7	:	Is it too insensitive for acceptance into this class?
8.1	Answer from Test Series 2	:	No
8.2	Conclusion	:	Substance to be considered in this class (box 10)
8.3	Exit	:	Go to Box 11
9.	Box 11	:	Test Series 3
9.1	Thermal stability	:	DSC (UN MTC section 20.3.3.3)
9.1	Thermal stability	•	Screening test as alternative to test 3 (c)
9.2	Sample conditions		Heating rate 1 K/min in closed Hastelloy crucible
9.2	Sample conditions	•	Sample mass 101 mg
9.3	Observations		Decomposition onset > 230 °C
9.4	Result	•	"-", thermally stable
		•	·
9.5	Impact sensitivity	:	BAM Fallhammer test (test 3 (a) (ii))
9.6	Sample conditions	:	as above
9.7	Observations	:	Limiting impact energy >40 J
9.8	Result	:	"-", not unstable in the form it was tested
9.9	Friction sensitivity	:	BAM friction test (test 3 (b) (i))
9.10	Sample conditions	:	as above
9.11	Observations	:	Limiting load > 360 N
9.12	Result	:	"-", not unstable in the form it was tested
9.13	Ease of deflagration to detonation transition	:	Small scale burning test (test 3 (d))
9.14	Observations	:	Not performed
9.15	Result	:	n/a
9.16	Exit	:	Go to box 12

10.	Box 12	:	Is it thermally stable?
10.1	Answer from test 3(c)	:	Yes
10.2	Exit	:	Go to box 13
11.	Box 13	:	Is it unstable in the form it was tested?
11.1	Answer from Test Series 3	:	No
11.2	Exit	:	Go to box 19
12.	Conclusion	:	PROVISIONALLY ACCEPT INTO THIS CLASS

Annex II

Resulting flow chart for pure (dry) compound



Annex III

Test report: Solution of TFMT-Na in Acetone (27.3 % and 53 % (saturated)) - Procedure for provisional acceptance in the Class of Explosives according to Figure 10.2 of the Manual of Tests and Criteria


1.	Name of substance		5-Trifluoromethyltetrazole, sodium salt (TFMT-Na) in Acetone
2.	General data		
2.1	Composition	:	5-Trifluoromethyltetrazole, sodium salt (TFMT-Na), in Acetone; concentration 27.3 % and 53 %
2.2	Molecular formula	:	$C_2N_4F_3Na$
2.3	Available oxygen content	:	Not applicable
2.4	Activator content		Not applicable
2.5	Physical form	:	Homogenous solution
2.6	Colour	:	clear, colourless
2.7	Apparent density	:	Not known
2.8	Particle size	:	Not applicable
3.	Box 2 of the flow chart	:	Is the substance manufactured with the view to producing
			a practical explosive or pyrotechnic effect?
3.1	Answer	:	No
3.2	Exit	:	Go to Box 3
4.	Box 3	:	Is it a candidate for ammonium nitrate emulsion suspension or gel, intermediate for blasting explosives, ANE?
4.1	Answer	:	No
4.2	Exit	:	Go to Box 6
5.	Box 6	:	Test Series 2
5.1	Sensitivity to shock	:	UN gap test (test 2 (a))
5.2	Sample conditions	:	Ambient temperature
5.3	Observations	:	Witness plate slightly domed; no propagation
5.4	Result	:	"-", not sensitive to shock in test 2 (a)
5.5	Effect of heating under confinement	:	Koenen test (test 2(b))
5.6	Sample conditions	:	Mass 26.0 g for 27.3 % solution
<i>5</i> 7	Observations		Mass 28.0 g for 53 % solution
5.7	Observations	:	Limiting diameter < 2 mm
			Fragmentation type "O" (time to reaction 7 - 9 s; duration of reaction $40 - 42$ s) for 27.3 % solution
			Fragmentation type "A" (time to reaction 9 s; duration of
			reaction 55 - 59 s) for 53 % solution
5.8	Result	:	"-", no violent effects on heating under confinement
5.9	Effect of ignition under confinement	:	Time/pressure test (test 2 (c) (i))
5.10	Sample conditions	:	Ambient temperature

ST/SG/AC.10/C.3/2021/36

5.11	Observations	:	Pressure of 2070 kPa gauge not reached for 27.3 % solution Time for pressure rise from 690 to 2070 kPa: 300 – 420 ms for 53 % solution
5.12	Result	:	"-", substance shows no or slow deflagration
5.13	Exit	:	Go to Box 7
6.	Box 7	:	Is it too insensitive for acceptance into this class?
6.1	Answer from Test Series 2	:	Yes
6.2	Exit	:	Go to Box 9

Annex IV

Resulting flow chart for the solution of TFMT-Na in Acetone (27.3 % and 53 %)



Annex V

Data sheet to be submitted to the United Nations for new or amended classification of substances

Supply all relevant information including sources of basic classification data. Data should relate to the product in the form to be transported. State test methods. Answer all questions - if necessary, state "not known" or "not applicable" - If data is not available in the form requested, provide what is available with details. Delete inappropriate words.

Section 1. SUBSTANCE IDENTITY

- 1.1 Chemical name 5-Trifluoromethyltetrazole, sodium salt (TFMT-Na) in Acetone
- 1.2 Chemical formula C₂N₄F₃Na

- 1.3 Other names/synonyms Sodium-5-trifluormethyl-1H-tetrazolate in Acetone
- 1.5 Proposed classification for the Recommendations
 - 1.5.1 proper shipping name (3.1.2¹)... TRIFLUOROMETHYLTETRAZOLE-SODIUM SALT IN ACETONE, with not less than 68 % acetone, by mass

 - 1.5.3 proposed special provisions, if any: SP 28, SP 132, SP 266 (see proposal).....
 - 1.5.4 proposed packing instruction(s): New PXXX suggested, see proposal.

Section 2. PHYSICAL PROPERTIES

- 2.1 Melting point or range: below -95 °C (Acetone)
- 2.2 Boiling point or range 56 °C (Acetone)
- 2.3 Relative density at:
 - 2.3.1 15 °C 0.980 g/ml
 - 2.3.2 20 °C 0.977 g/ml
 - 2.3.3 30 °C 0.955 g/ml
 - 2.4 Vapour pressure at:

¹ This and similar references are to chapters and paragraphs in the Model Regulations on the Transport of Dangerous Goods.

	2.4.1 50 °C80 kPa									
	2.4.2 65 °Cn/a									
2.5	Viscosity at 20 °C [†] 0.917 mPas									
2.6 Solubility in water at 20 °C: completely miscible;										
	solubility in acetone: 53 % (w/w) TFMT-Na in acetone									
2.7	Physical state at 20°C (2.2.1.1 ¹)liquid ²									
2.8	Appearance at normal transport temperatures, including colour and odour:									
	Colourless liquid, smell of acetone									
2.9	Other relevant physical properties: n/a									
Soct	ion 3. FLAMMABILITY									
3.1	Flammable vapour									
	3.1.1 Flash point (2.3.3 ¹): -18 °C (closed cup)									
	3.1.2 Is combustion sustained? $(2.3.1.3^1)$ yes									
3.2	Autoignition temperature: 465 °C									
3.3	Flammability range (LEL/UEL): 2.5 – 14.3 Vol%									
3.4	Is the substance a flammable solid? $(2.4.2^1)$ no									
	3.4.1 If yes, give details									
Sect	ion 4. CHEMICAL PROPERTIES									
4.1	Does the substance require inhibition/stabilization or other treatment such as nitrogen blanket to prevent hazardous reactivity?									
	If yes, state:									
	4.1.1 Inhibitor/stabilizer usedn/a									
	4.1.2 Alternative method n/a									
	4.1.3 Time effective at 55 °C n/a									
	4.1.4 Conditions rendering it ineffective n/a									
4.2	Is the substance an explosive according to paragraph 2.1.1.1? (2.1 ¹) no									
	4.2.1 If yes, give details n/a									

 $^{^{\}dagger}$ See definition of "liquid" in 1.2.1 of the Model Regulations on the Transport of Dangerous Goods. ¹ This and similar references are to chapters and paragraphs in the Model Regulations on the Transport of Dangerous Goods.

 Ic tl	na substance a desensitized avalosiva? (2.4.2.41)						
Is the substance a desensitized explosive? (2.4.2.4 ¹) yes 4.3.1 If yes, give details: Dry TFMT-Na is provisionally accepted in the Class of Explosives bases							
	est results (see attached report for details).						
	solution in acetone passes Test Series 2 and is therefore not to be classified as explosive; see test						
•	ort						
	ne substance a self-reactive substance? (2.4.1 ¹) no						
If y	es, state:						
4.4.	1 exit box of flow chart n/a						
	What is the self-accelerating decomposition temperature (SADT) for a 50 kg package? °C						
	Is the temperature control required? $(2.4.2.3.4^{1})$ no						
.4.	2 proposed control temperature for a 50 kg package°C						
.4.	3 proposed emergency temperature for a 50 kg package°C						
s tl	ne substance pyrophoric? (2.4.3¹) no						
1.5.	1 If yes, give details						
	ne substance liable to self-heating? (2.4.3¹) no 1 If yes, give details						
 s tl	ne substance an organic peroxide (2.5.1 ¹) no es state:						
4.7.1 exit box of flow chart n/a							
What is the self-accelerating decomposition temperature (SADT) for a 50 kg package? °C							
Is temperature control required? (2.5.3.4.1 ¹) no							
ŀ.7.	2 proposed control temperature for a 50 kg package°C						
	3 proposed emergency temperature for a 50 kg package°C						
1.7.	5 proposed emergency temperature for a 50 kg package						
	es the substance in contact with water emit flammable gases? (2.4.4 ¹) no						

 $^{^{\}it I}$ This and similar references are to chapters and paragraphs in the Model Regulations on the Transport of Dangerous Goods.

4.9	Does the substance have oxidizing properties (2.5.1 ¹) no								
	4.9.1	•							
			•••••						
			•••••						
4.10	• ` '								
	4.10.1	mild steel	n/anm/y	ear at		°C			
	4.10.2	aluminium	n/amm/y	year at		°C			
			No co	orrosivity expe	ected due to chemica	al structure			
	4.10.3	other packag	ing materials (s	specify)					
			n/a	mm/year	at	°C			
			•••••	mm/year	at	°C			
4.11	Other re	elevant chemica		n/a					
Secti	on 5. HA	RMFUL BIO	LOGICAL EI	FFECTS					
5.1	LD ₅₀ , or	ral (2.6.2.1.1 ¹).		mg/kg	Animal species				
5.2	LD ₅₀ , de	ermal (2.6.2.1.2	2 ¹)	mg/kg	Animal species				
5.3	LC ₅₀ , inhalation (2.6.2.1.3 ¹)mg/litre Exposure time								
			or	ml/m^3	Animal species				
5.4	Saturate	ed vapour conc	entration at 20	°C (2.6.2.2.4.3	3 ¹)	$$ ml/m^3			
5.5	Skin ex	posure (2.81) re	esults	Exposure tim	ne	hours/minutes			
				Animal spec	ies				
5.6	Other data								
5.7	Human	-							
a									
Secti	on 6. SU	PPLEMENTA	ARY INFORM	IATION					
6.1	Recommended emergency action								
	6.1.1 Fire (include suitable and unsuitable extinguishing agents) Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder, carbon								
	dioxide (CO ₂);								
	Unsuitable media: Full water jet.								

 $^{^{\}it l}$ This and similar references are to chapters and paragraphs in the Model Regulations on the Transport of Dangerous Goods.

6.1.2 Spillage: Dilute spilled product with water and absorb with liquid-binding material (e.g. sand, diatomaceous earth, universal binding agents). Take up mechanically and place in appropriate containers for disposal. Keep the content of the container wet with water.

no

- 6.2 Is it proposed to transport the substance in:
 - 6.2.1 Bulk Containers (6.8¹)
 - 6.2.2 Intermediate Bulk Containers (6.5^1) ? no
 - 6.2.3 Portable tanks (6.7^1) ?

If yes, give details in Sections 7, 8 and/or 9.

Section 7. BULK CONTAINERS (only complete if yes in 6.2.1)

7.1 Proposed type(s) n/a

Section 8. INTERMEDIATE BULK CONTAINERS (IBCs) (only complete if yes in 6.2.2)

8.1 Proposed type(s) n/a

Section 9. MULTIMODAL TANK TRANSPORT (only complete if yes in 6.2.3)

- 9.1 Description of proposed tank (including IMO tank type if known) n/a 9.2 Minimum test pressure 9.3 Minimum shell thickness 9.4 Details of bottom openings, if any 9.5 Pressure relief arrangements 9.6 Degree of filling 9.7 Unsuitable construction materials

16

¹ This and similar references are to chapters and paragraphs in the Model Regulations on the Transport of Dangerous Goods.