

## **Economic and Social Council**

Distr.: General 10 July 2023 English

Original: French

## **Economic Commission for Europe**

**Inland Transport Committee** 

**Working Party on the Transport of Dangerous Goods** 

Joint Meeting of the RID Committee of Experts and the Working Party on the Transport of Dangerous Goods Geneva, 19–29 September 2023 Item 5 (a) of the provisional agenda Proposals for amendments to RID/ADR/ADN: Pending issues

# Carriage in bulk of specific categories of wastes containing asbestos (UN Nos. 2590 and 2212)

#### Transmitted by the Government of France\*, \*\*

Summary

**Executive summary:** The purpose of this document is to introduce provisions authorizing the bulk

transport of certain wastes containing asbestos.

**Action to be taken:** Amendment of various chapters of RID/ADR.


**Related documents:** ECE/TRANS/WP.15/AC.1/168, para. 50

Informal document INF.16 of the 2023 spring session of the Joint Meeting.

#### Introduction

- 1. At the last session of the Joint Meeting, France was invited to put forward an official document with the amendments concerning the transport of asbestos that had been supported in principle.
- 2. Taking into account of comments made by certain delegations at the last session of the Joint Meeting, France is once again proposing amendments to RID/ADR/ADN to introduce the possibility of carriage in bulk of certain types of wastes containing asbestos (UN Nos. 2590 and 2212).

<sup>\*\*</sup> Circulated by the Intergovernmental Organization for International Carriage by Rail (OTIF) under the symbol OTIF/RID/RC/2023/51.





<sup>\*</sup> A/77/6 (Sect. 20), table 20.6.

- 3. This new proposal takes up the proposals in informal document INF.16 of the last Joint Meeting, with modifications to take account of the comments made at the last session. No further comments have been received by France since the end of the last session, but delegations wishing to comment on the proposal contained in this official document are welcome to do so. To facilitate discussions at the Joint Meeting, France invites them to forward their comments so that they can be taken into account in a possible additional informal document that might produce a revised version.
- 4. Following comments made at the last session of the Joint Meeting, two alternative wordings are presented (Options 2A and 2B) concerning a new special provision. Option 2A corresponds to the restrictive approach presented in informal document INF.16. Option 2B, on the other hand, takes into account the request to extend the categories of waste authorized for bulk transport.

## **Proposals**

5. The following five proposals have been drafted to respect the logical structure of RID/ADR/ADN. They have been numbered to facilitate discussion, but they are part of an overall system and must be adopted as a whole. (Changes to the previous proposals are shown in struck out or underlined text).

#### **Proposal 1**

6. Amend Table A of Chapter 3.2 as follows:

(1)	(2)	(3a)	( <b>3b</b> )	(4)	(5)	(6)	(7a)	(7b)	(8)	(9a)	(9b)	(10)	(11)
2212	ASBESTOS,	9	M1	II	9	168	1 kg	E0	P002	PP37	MP10	Т3	TP33
	AMPHIBOLE					274			IBC08	B4			
	(amosite,					542							
	tremolite,					XXX							
	actinolite,												
	anthophyllite,												
	crocidolite)												
2590	ASBESTOS,	9	M1	III	9	168	5 kg	E1	P002	PP37	MP10	T1	TP33
	CHRYSOTILE					XXX			IBC08	B4			
									R001				

(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	<b>(20)</b>	(1)	(2)
SGAH	TU15	(ADR:)	2	W11/	VC1	CW13	CE9/	90	2212	ASBESTOS,
		AT	(E)	V11	VC2	CW28	S19			AMPHIBOLE
					<u>APxx</u>	CW31				(amosite,
						CWxx/				tremolite,
						CV1				actinolite,
						CV13				anthophyllite,
						CV28				crocidolite)
						CVxx				
SGAH	TU15	(ADR:)	3 (E)	W11/	VC1	CW13	(RID:)	90	2590	ASBESTOS,
		AT		V11	VC2	CW28	CE11			CHRYSOTILE
					<u>APxx</u>	CW31				
						<u>CWxx</u>				
						CV13				
						CV28				
						<u>CVxx</u>				

**2** GE.23-13368

#### **Proposal 2**

#### **Option 2A**

7. In Chapter 3.3.1, add the following new special provision:

"xxx: Waste consisting of objects and materials contaminated with free asbestos (UN Nos. 2212 and 2590 not fixed or immersed in a binder in such a way that no emission of hazardous quantities of respirable asbestos can occur) may be carried under the provisions of Chapter 7.3 provided the following provisions are complied with:

- (a) The waste is transported only from the site where it is generated to a final disposal facility. Only intermediate storage operations, without unloading or transferring the containment, between these two types of sites are authorized;
  - (b) The waste belongs to one of these categories:
  - (i) Solid waste from roadworks, including asphalt milling waste contaminated with free asbestos and its sweeping residues;
  - (ii) Soil contaminated with free asbestos;
  - (iii) Objects (for example furniture) contaminated with free asbestos from damaged structures or buildings;
  - (iv) Materials from damaged structures or buildings contaminated with free asbestos which, because of their volume or mass, cannot be packed in accordance with the packing instruction applicable to the UN number used (UN No. 2212 or UN No. 2590, as appropriate);
  - (v) Construction site waste contaminated with free asbestos from demolished or rehabilitated structures or buildings which, because of their size or mass, cannot be packed in accordance with the packing instruction applicable to the UN number used (UN No. 2212 or UN No. 2590, as appropriate). Such asbestos-contaminated waste shall belong only to the following categories:
    - roof and facade elements (asbestos-containing roofs, bituminous coatings, insulation, structural elements, window frames, etc.);
    - · ceiling elements;
    - · floors and parts of floors;
    - piping elements (including valves and fittings);
    - · pipes and ducts;
    - partition fragments;
    - fragments of concrete slabs.
- (c) Waste covered by these provisions shall not be mixed or loaded with other asbestos-containing waste or any other hazardous or non-hazardous waste;
  - (d) Each shipment shall be considered a "full load" as defined in 1.2.1."

#### **Option 2B**

8. In Chapter 3.3, add the following new special provision:

"xxx: Waste consisting of objects and materials contaminated with free asbestos (UN Nos. 2212 and 2590 not fixed or immersed in a binder in such a way that no emission of hazardous quantities of respirable asbestos can occur) may be carried under the provisions of Chapter 7.3 provided the following provisions are complied with:

- (a) The waste is transported only from the site where it is generated to a final disposal facility. Only intermediate storage operations, without unloading or transferring the containment, between these two types of sites are authorized;
  - (b) The waste belongs to one of these categories:

GE.23-13368 3

- (i) Solid waste from roadworks, including asphalt milling waste contaminated with free asbestos and its sweeping residues;
- (ii) Soil contaminated with free asbestos;
- (iii) Objects (for example furniture) contaminated with free asbestos from damaged structures or buildings;
- (iv) Materials from damaged structures or buildings contaminated with free asbestos which, because of their volume or mass, cannot be packed in accordance with the packing instruction applicable to the UN number used (UN No. 2212 or UN No. 2590, as appropriate);
- (v) Construction site waste contaminated with free asbestos from demolished or rehabilitated structures or buildings which, because of their size or mass, cannot be packed in accordance with the packing instruction applicable to the UN number used (UN No. 2212 or UN No. 2590, as appropriate). Such asbestos contaminated waste shall belong only to the following categories:
  - roof and facade elements (asbestos containing roofs, bituminous coatings, insulation, structural elements, window frames, etc.);
  - ceiling elements;
  - floors and parts of floors;
  - piping elements (including valves and fittings);
  - pipes and ducts;
  - partition fragments;
  - fragments of concrete slabs.
- (c) Waste covered by these provisions shall not be mixed or loaded with other asbestos-containing waste or any other hazardous or non-hazardous waste;
  - (d) Each shipment shall be considered a "full load" as defined in 1.2.1."

#### **Proposal 3**

- 9. Add the following paragraph to chapter 5.4:
- "5.4.1.1.4: Special provisions for wastes contaminated with free asbestos (UN Nos. 2212 and 2590) covered by special provision xxx

When special provision xxx is applied, the transport document shall be marked "Transport under special provision xxx".

The description of wastes transported in accordance with paragraphs (b) (i), (ii), (iii), (iv) and (v) of special provision xxx shall be added to the description of dangerous goods required in 5.4.1.1.1 (a) to (d) and (j)/(k). The transport document shall also be accompanied by the following documents:

- (a) a copy of the technical data sheet for the type of container bag used, on the container bag manufacturer's or distributor's letterhead, giving the dimensions of the packaging and its maximum mass capacity;
- (b) a copy of the unloading procedure in accordance with special provision CWxx/CVxx of 7.5.11, if applicable."

**4** GE.23-13368

#### **Proposal 4**

10. Add a new provision APxx to 7.3.3.2.7 as follows:

"APxx Waste may be transported in bulk provided that it is contained in a bag the size of the loading compartment, referred to as a "container bag" for the purposes of this provision. Container bags shall have at least two liners.

The inner lining shall be made dust-tight to prevent the release of dangerous quantities of asbestos fibres during transport. The inner lining shall be a polyethylene or polypropylene film.

The outer lining shall be polypropylene and shall be fitted with a zipper system. It shall ensure the mechanical resistance of a container bag loaded with waste to the shocks and stresses in normal conditions of transport, in particular when a skip loaded with container bags is transferred between wagons/vehicles and storage facilities.

#### Container bags shall:

- (a) be designed to resist perforation or tearing by contaminated waste or objects due to their angles or roughness;
- (b) have a zipper system that is sufficiently tight to prevent the release of dangerous quantities of asbestos fibres during transport. Laced or flapped fasteners are not authorized.

The load compartment shall have rigid metal walls of sufficient strength for its intended use. The walls must be sufficiently high to completely contain the container bag. Provided the container bag offers similar protection, the sheeting can be omitted when using the VC1 layout.

Objects contaminated with free asbestos from damaged structures or buildings, as well as construction site waste contaminated with free asbestos from structures or buildings during their demolition or rehabilitation as mentioned in special provision xxx (b) (iii), (iv) and (v), shall be transported in a container bag with a second container bag of the same type. The total mass of the contained waste shall not exceed 7 tonnes.

In all cases, the maximum mass of the waste shall not exceed the capacity specified by the container bag manufacturer."

#### **Proposal 5**

11. Add a new special provision CW/CVxx to 7.5.11, "Additional provisions applicable to certain classes or specific goods", as follows:

"CW/CVxx Only the following means of transport are authorized:

- for waste from roadworks or removal of asbestos-contaminated soil: public works skips or removable skips;
- for all other types of waste: removable skips.

The skips shall have no sharp internal edges (internal steps, etc.) capable of tearing container bags during unloading. Skips shall be inspected before any loading operation.

The container bags shall be placed in the skips for transport prior to any filling. The outer lining of the container bags shall be positioned so that the locking hooks meet facing the front side of the skip. After filling, the container bags shall be closed in accordance with the manufacturer's instructions.

Once loaded, the container bags shall not be lifted or transferred from one skip to another. Several filled container bags shall not be loaded into the same skip.

After any filling operation and after closing, the outer surfaces of the container bags shall be decontaminated.

Container bags transported in removable skips shall be unloaded with the skip on the ground.

GE.23-13368 5

The unloading of container bags filled with roadworks waste or with soil contaminated with free asbestos by tipping the skip is authorized, provided that an unloading protocol agreed jointly between the carrier and the consignee is respected so as to prevent the container bags from tearing during unloading. The protocol shall ensure that the container bags do not fall or tear during the unloading operation."

### **Justification**

12. These amendments, which authorize the bulk transport of waste contaminated with free asbestos, facilitate the transport of voluminous waste which cannot benefit from special provision 168, while ensuring safety in respect of the release of asbestos fibres during transport. This proposal is in line with the sustainable development goals.

**6** GE.23-13368