

Canada, Carbon & Construction

UNECE/FAO Discussion November 23, 2023

Peter Moonen, National Sustainability Manager Canadian Wood Council

Climate Change

Emissions

Renewables

Air Quality

Solar

Carbon

Embodied Impacts

Building Science

Carbon

- Biogenic
- Embodied
- Operational
- Procurement / Codes



- Opportunities for Wood in Canada
 - Codes, Legislation, Mandates,
 Expectations 2030 NBC embodied carbon
 - Government procurement will drive design sector with Whole Building Life Cycle starting 2025
 - Industry needs to gather comprehensive data



















- North American Lumber EPD
 - Expires July 2025
- Need Regional / Company / Site Specific EPDs
- National Life cycle Inventory Database Survey

ENVIRONMENTAL PRODUCT DECLARATION

NORTH AMERICAN SOFTWOOD LUMBER

AMERICAN WOOD COUNCIL CANADIAN WOOD COUNCIL




The American Wood Council (JAVIC) and the Canadian Wood Council (JAVIC) are gleased to present this Environmental mediut Cheduratine (Fell Central Council Cou

The AMC and CWC represent wood product manufacturers across North America. The North American forest product industry is a global leader of sustainably sourced wood products. This EDP reflects years of research and numerous sustainability initiatives on better of our members to continually improve the environmental footprint of North American wood products. We are pleased to present this document to show our progress to how our progress to how our progress to the products of products of

Please follow our sustainability initiatives at www.awc.org and www.cwc.ca.







Life Cycle Stages Emissions and wastes out

























Make

produ
























cts










































materi



Resources in





CWC Primary Focus on National Research Council LCA²









Embodied Carbon

Embodied Carbon Policy in Canada, USA & EU





















Embodied Carbon Policy in Europe

Country	Methodology	In force	Applies to renovations	Timing of assessment	Applicable buildings	Acceptable data	Preference of EPDs	Compliance type	Compliant tools ¹⁵
Denmark	Bygningsreglement	2023	No	Single assessment – Post construction	All	EN 15804 ¹⁶	Yes	Limit value	Open ¹⁶
Finland	Finnish method / RakL	2024 Expected	Yes	Single assessment – Planning Stage (Building permit)	All Buildings requiring an energy declaration	EN 15804+A2, CO2data	Yes	Limit value	Open
France	RE2020	2022	No	Multiple assessments (Building permit & Post construction)	Residential Offices Education	INIES database	Yes	Limit value	Approved tools
Netherlands	MPG	2013	No	Single assessment – Planning Stage (Building permit)	Offices and residential	NMD only	Yes	Limit value	Approved tools
Norway	NS 3720 / TEK 17	2022	Yes	Single assessment – Planning Stage (Building permit)	Residential and commercial buildings	EN 15804	Yes	Declaration	Open
Sweden	Klimatdeklaration av byggnader	2022	No	Single assessment – Post construction	>100 m2 ¹⁷	EN 15804, Boverket	Yes	Declaration	Open
UK	London Plan / Part Z ¹⁸	In force / Proposed	Yes	Multiple assessments (Prior and post construction)	>1000m2 Or >10 dwellings	EN 15804 and other standards	Yes	Declaration ¹⁹	Open
EU	Level(s) via EPBD	2027/2030 Proposed	Yes	Multiple assessments (Conceptual / detailed / as-built)	All	EN 15804	Yes	Declaration	Open





Embodied Carbon – Regulation and Certifications





CoV Rezoning (since 2017)

WBLCA reporting disclosures on Rezonings



- Disclosure for all Part 3 buildings
- Must **NOT** be more than **100%** (i.e. worse) vs functionally equivalent baseline

CoV VBBL - Building Permit (Jan. 2025)

- Reductions for all Part 3 buildings
- >=20% reduction for low-rise wood framed buildings compared to concrete baseline
- >=10% reduction for all other Part 3 buildings
- Must meet criteria for Responsible **Sourcing Category**



LEED v4.1 MRc1

Up to 5 points achievable via WBLCA

- 1 point for disclosure,
- 2 points for >=5% reduction,
- 3 points for >= 10% reduction,
- 4 points for >= 20% reduction & reuse,
- +1 regional priority point if >=10% reduction



ILFI Zero Carbon Certification

- >=10% reduction AND <=500 kgCO2e/m2
- Offset remaining emissions



CaGBC ZCB Design v3

- Minimum Requirement:
 - >=10% reduction OR <=500 kgCO2e/m2
- Two *Impact and Innovation* strategies req'd, such as:
 - >=20% reduction OR <=350 kgCO2e/m2
 - >=40% reduction OR <=240 kgCO2e/m2



ILFI Living Building - Energy Petal

- >=20% reduction in embodied carbon
- Offset remaining emissions





600+ Local Industry Professionals

30+ Past Events

30+ Cities Inspired to Start Local Hubs

www.CLFBritishColumbia.com


















Courtesy Anthony Pak, Priopta



Leadership 30+ CLF Local Hubs Around the World












COMPETING MATERIA\LS



Concrete Masonry EPD Generator

The Concrete Masonry EPD Generator is the first and only system that climate earth.)



- 50,000 + CONCRETE EPDS
- ~200 WOOD EPDS

One Click LCA's Concrete EPD Generator

Create EPDs, easily & affordably

Concrete is the most used material on the planet. It causes 4 gigatons of carbon emissions a year. Buyers know this and are looking for ways to reduce their impact. Concrete EPDs provide the reliable environmental data that buyers value.

One Click LCA Concrete EPD Generator allows you to create Environmental Product Declarations (EPD) at low costs, without compromising quality.

















CONSTRUCTION DRIVERS AND WOOD

Regulations

Construction Capacity

New Wood Processes

Housing

Health /Biophilia

Circularity



Thoughts

- Carbon –not an option
 - Opportunity
 - Define or be defined