



**Economic and Social
Council**

Distr.

GENERAL

TRANS/WP.29/695

9 December 1999

ENGLISH

Original: ENGLISH
and FRENCH

ECONOMIC COMMISSION FOR EUROPE

INLAND TRANSPORT COMMITTEE

Working Party on the Construction of Vehicles

DRAFT SUPPLEMENT 1 TO THE 02 SERIES OF AMENDMENTS
TO REGULATION No. 26

(External projections)

Note: The text reproduced below was adopted by the Administrative Committee (AC.1) of the amended 1958 Agreement at its thirteenth session, following the recommendation by the Working Party at its one-hundred-and-nineteenth session. It is based on document TRANS/WP.29/1999/35, not amended (TRANS/WP.29/689, para. 146).

Paragraph 6.5.2., amend to read (including a new figure 1):

"6.5.2. If the line of the bumper which corresponds to the outline contour of the car vertical projection is on a rigid surface, that surface shall have a minimum radius of curvature of 5 mm at all its points lying from the contour line to 20 mm inward, and a minimum radius of curvature of 2.5 mm in all other cases. This provision applies to that part of the zone lying from the contour line to 20 mm inward which is situated between and in front (or rear in case of the rear bumper) of tangential points with the contour line of two vertical planes each forming with the longitudinal plane of symmetry of the vehicle an angle of 15° (see fig. 1).




Figure 1 "
